



AM-40 ANTI RUST LUBE

TECHNICAL DATA SHEET

4/26/2015

AL-MUQARRAM INDUSTRY

AM-40 ANTIRUST LUBRICANT

1. Product Description:

AM-40 Anti Rust Lubricant provides better quality lubrication and long term rust protection to all metals subjected to rust and corrosion. It is an outstanding solution for extending the life of metal to metal sliding/rotating surfaces. AM-40 can infiltrate the areas of rust in short time. Moreover it can minimize the noise created by moving metal parts to zero. It also displaces the moisture to reinstate the equipments such as spark plugs, engines and power tools.

2. Features:

- Protect tools and machinery over a long period of downtime.
- Preserve engine, piston and components from atmospheric rusting.
- It does not require cleaning before using equipment.
- Insoluble in water.

3. Application:

- Shake can before spraying.
- Spray evenly on the desired surface by making sure all the surface is coated for maximum protection.
- Cleaning of Lube film is not required before startup.

4. Typical Properties:

Flash Point	45 °C
Specific Gravity @ 25 °C	0.81 ±0.02
Viscosity @ 25 °C on Zhan Cup #1	32 seconds
Color	Transparent
Odor	Characteristic

5. Performance:

Average Film thickness	4-12 µm
Dry to touch time	Not applicable
Reapplication period outdoors	6-12 Months
Reapplication period indoors	2 Years

AM-40 ANTIRUST LUBRICANT

6. Packages:

Our product comes in three packages.

- I. 220 ML (24 pcs/carton)
- II. 400 ML (12pcs/carton)
- III. 480 ML (24pcs/carton)

7. Special Precautions:

AM-40 Liquid: DANGER! Flammable liquid and vapors. Keep away from naked flames and electrical equipments. Store in cool and ventilated area. Harmful or fatal if swallowed. Can cause eye irritation. Avoid eye contact.

AM-40 AEROSOL: DANGER! Flammable Aerosol. Do not puncture, incinerate or store above 50 °C. Exposure to high temperature may cause can to burst. Aerosol can conduct electricity. Keep away from live wires and battery terminals.

8. Symptoms of Overexposure:

Inhalation: Can cause nasal and respiratory irritation and headaches, dizziness and nausea.

Skin Contact: Prolonged effect may produce mild irritation.

Eye Contact: May cause redness and tearing if contact to eye.

Ingestion: Low toxic effects. Swallowing may cause nausea, diarrhea and internal irritation. Can cause severe Lung damage if entered into Lungs.

Chronic Effects: Not expected.

Cancer Agent: NO



Made in U.A.E
AL MUQARRAM AIR FRESHENERS AND SPRAY PAINTS INDUSTRY L.L.C
P.O. BOX # 24756, UMM AL QUWAIN. U.A.E
PHONE: +971 6 5353796, FAX: +971 6 5353964
EMAIL: info@muqarram.com, sales@muqarram.com
WEBSITE: www.muqarram.com