

### **SECTION 1: PRODUCT & COMPANY IDENTIFICATION**

1.1 Product name : Aluminum Foil Tapes

1.2 Manufacturer's name : Al Mugarram Insulation Materials Industry L.L.C.

P.O. Box: 24756, Sharjah, U.A.E.

Phone: + 971 6 5353796, Fax: + 971 6 5353964.

Email: info@muqarram.com

Website: www.muqarram.com

### **SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS**

| Ingredient                      | CAS Number  | % Weight |
|---------------------------------|-------------|----------|
| Aluminum Foil                   | 7429-90-5   | 60 ~ 78  |
| Synthetic Rubber Resin Adhesive | Proprietary | 22 ~ 40  |

### **SECTION 3: PHYICAL DATA**

N/A **Boiling Point:** N/A Vapor Pressure: Vapor Density: N/A **Evaporation Rate:** N/A Solubility in Water: N/A Specific Gravity: N/A Percent Volatile: N/D PH: N/A N/A Viscosity: N/D Melting Point:

Appearance & Odor: Roll of Tape, Silver / Aluminum Color.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

## **SECTION 4: FIRE & EXPLOSION DATA**

Flash Point: N/A
Flammable Limits - Lel: N/A
Flammable Limits - Uel: N/A





Auto ignition Temperature: N/D

Extinguishing Media: Water spray, Carbon dioxide, Dry chemical, Foam

Special Fire Fighting Procedures: Wear full protective clothing, including helmet, self-

contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed

areas of the head.

Unusual Fire And Explosion Hazards: None known.

NFPA Hazard Codes: Health: 1 Fire: 1 Reactivity: 0

Unusual Reaction Hazard: None

OSHA Fire Hazard Class: Not Applicable

#### **SECTION 5: REACTIVITY DATA**

Stability: Stable

Incompatibility - Materials/Conditions to avoid: None Known.

Hazardous Polymerization: Hazardous polymerization will not occur.

Hazardous Decomposition Products: Carbon Monoxide and Carbon Dioxide.

#### **SECTION 6: FIRE AND EXPLOSION HAZARD DATA**

Flash Point: NA Auto Ignition Temp (°F): Not Determined

LEL: NA UEL: NA

Extinguishing Media: Water spray, Carbon dioxide, Dry chemical, Foam

**Special Fire Fighting Procedures:** Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**Unusual Fire And Explosion Hazards:** None known.

NFPA Hazard Codes: Health: 1 Fire: 1 Reactivity: 0

Unusual Reaction Hazard: None OSHA Fire Hazard Class: Not applicable



**SECTION 7: ENVIRONMENTAL INFORMATION** 

**Spill Response**: Not applicable.

**Recommended Disposal**: Dispose of waste product in a sanitary landfill. Reclaim if feasible.

Environmental Data: Not determined.

**Regulatory Information**: Volatile Organic Compounds: N/A.

Voc Less H2o & Exempt Solvents: N/A. Since regulations vary, consult applicable regulations or

authorities before disposal.

**EPCRA Hazard Class:** 

Fire Hazard: No Pressure: No Reactivity: No

Acute: No Chronic: No

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

**Eye Protection:** NA

**Skin Protection: NA** 

**Recommended Ventilation**: Provide appropriate local exhaust when product is heated.

**Respiratory Protections:** Avoid breathing of thermal decomposition products.

**Prevention of Accidental Ingestion:** Do not ingest.

**Recommended Storage:** Store at room temperature.

Fire & Explosion Avoidance: NA

#### **Exposure Limits**

| Ingredient                | Value | Unit  | Туре | Auth  | Skin* |
|---------------------------|-------|-------|------|-------|-------|
| Aluminum                  | 10    | Mg/M3 | Twa  | ACGIH |       |
| Aluminum                  | 15    | Mg/M3 | Twa  | OSHA  |       |
| Adhesive: Synthetic Resin | None  | None  | None | None  |       |

<sup>\*</sup>Skin Notation: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the coetaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.



**SECTION 9: HEALTH HAZARD DATA** 

**Eye Contact:** Eye contact is not expected to occur during normal use of the product.

**Skin Contact**: No adverse health effects are expected from skin contact.

**Mechanical Skin Irritation**: Signs/symptoms can include itching and redness.

**Inhalation:** No adverse health effects are expected from inhalation exposure. Vapors of heated material may cause respiratory system irritation.

**If Swallowed**: Ingestion is not a likely route of exposure to this product. No adverse health effects are expected from swallowing.

**Other Health Hazard Information**: These products, when used under reasonable conditions, should not present a health and safety hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

#### **SECTION 10: OTHER INFORMATION**

The information contained in this MSDS is presented in good faith, based on information available and is subject to change without notice.

Al Muqarram Insulation Materials Industry L.L.C makes no warranties, expressed or implied, including but not limited to, any implied warranty of merchantability or fitness for the practical purpose or course of performance of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the usage and application of AMI products, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the AMI products to determine whether it is fit for the particular purpose and suitable for user's method of application.