



DOLPHIN DASHBOARD WAX SPRAY

Last Revision Date : 23.11.2017
Revision No. : 01

Page No. : Page 1 of 5

1. PRODUCT AND COMPANY IDENTIFICATION

Product Details

Product Name : Dolphin Dashboard Wax Spray
Recommended Use : Dashboard Wax Spray Consumer Use

Company Details

Company Name : Al Muqarram Industry L.L.C.
Address : Etihad Street, Modern Industrial Area, Umm al Thaoob
Post Box No. 24756
Umm Al Quwain, United Arab Emirates
Phone Number : +971 (6) 5353796
Fax No. : +971 (6) 5353964
E-mail ID : info@muqarram.com, sales@muqarram.com

2. HAZARDS IDENTIFICATION

Physical Hazards	Flammable aerosol	Category 1
	Gases under pressure	Compressed gas
Health Hazards	Serious eye damage	Category 2 A
	Aspiration Hazard	Category 1
	Specific target organ toxicity	Category 3 narcotic effect
	Single exposure	

Label Elements



Other Hazards

Precautionary Statements Prevention

Keep away from heat / spark / open flames / hot surfaces.
No smoking. Do not spray on open flame or other ignition
Sources do not puncture or incinerate container.
Do not breathe dust/fumes/gas/mist/vapors/spray.

Response

If swallowed, immediately call a doctor. Do not induce Vomiting, remove person to fresh air. If in eyes, wash With water for several minutes.

Storage

Store in a well- ventilated place. Keep container tightly closed
Do not expose to temperature exceeding 50°C.

Disposal

Dispose of contents /containers in accordance with local, regional and national regulation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Identity	CAS #	Wt. %	Skin	Carcinogen
Silicone	Complex Mixture	10 – 15	No	No
Perfume	Complex Mixture	1 – 5	No	No
Propellant	74-98-6	20 – 30	No	No
Other ingredients	-----	To 100%	No	No



DOLPHIN DASHBOARD WAX SPRAY

Last Revision Date : 23.11.2017
Revision No. : 01

Page No. : Page 2 of 5

Not hazardous

4. FIRST AID MEASURES

Eyes	Flush with large amount of cool running water for at least 15 minutes.
Ingestion	If swallowed, do not induce vomiting. Never give anything by mouth to unconscious person.
Skin Contact	Remove contaminated clothing. Wash affected area with soap and water.
Inhalation	Remove victim to fresh air. Seek medical attention immediately. If breathing stops gives artificial respiration.
Most Important Symptoms	May cause eye, skin, and respiratory irritation prolong skin contact may causes drying of skin. Inhalation may cause headache, dizziness, nausea, and other central nervous system depression. Aspiration into the lungs during ingestion or vomiting may cause lung damage.
Indication of Immediate Medical Attention and Special Treatment Needed	Immediate medical attention is required.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media	Dry chemical, CO ₂ , Sand, Earth, Water spray.
Specific Hazards Arising From the Chemical	Extremely flammable contents under pressure and can explode when exposed to heat or flames. Vapors may cause flash fire.
Fire – Advice for Firefighters	Firefighters must use standard protective equipment including fire-retardant gloves, coat, helmet with face shield, rubber boots.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation especially in confined area, avoid contact with skin and eyes.
Environmental Precautions Containment and Clean Up Procedures	Do not flushes into surface water or sanitary sewer system. Eliminate all ignition sources (no smoking, sparks, or flames in Immediate area). Keep combustibles (wood, paper, oil, etc.) Away from spilled materials. Stop the flow of material.
Prevention of Second Disaster	Absorbed waste maybe disposed as per local government regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling	Handle with good industrial hygiene and safety practice avoid breathing vapors or mist. Avoid contact with eyes, clothing, and wash thoroughly after handling.
Proper Storage Condition	Keep containers tightly closed in a cool, ventilated place. Keep away from sunlight, ignition sources. Do not expose to temperatures exceeding 50°C. Keep out of reach of children.



DOLPHIN DASHBOARD WAX SPRAY

Last Revision Date : 23.11.2017
Revision No. : 01

Page No. : Page 3 of 5

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

Chemical Identity	TWA		STEL	Carcinogen Category
	ppm	mg/m ³		
Butane	800	1900	-----	-----

Engineering Controls	Shower, Eye Wash station, Ventilation system.
Eye/Face Protection	Wear safety glasses with shields (goggles)
Respiratory Protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Skin Protection	Wear protective gloves and protective clothing.
Other Protective Equipment	Wear suitable protective clothing such as aprons against splashing and contamination.
Work/Hygienic Practices	When using, do not eat, drink or smoke. Wash at the end of each work shift and before eating. Wash hands thoroughly after handling. Contaminated shoes and clothing should be removed after handling and washed thoroughly before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical State	Liquid
Form	Aerosol
Color	Clear/Colorless
Properties	
Odor	Sweet odor (according to fragrance)
Solubility	Non-soluble in water
Specific Gravity	0.7046
VOC	182 g/L
Auto Ignition Temperature	410°C
Flash Point	52°C

10. STABILITY AND REACTIVITY

Stability	Stable under normal temperature and recommended storage conditions.
Reactivity	Stable under normal use.
Possibility of Hazardous Reaction	No dangerous reaction known under condition of normal use.
Condition to Avoid In Complete Materials	Keep away from all the heat sources, open flames and other sources of ignition.
Hazardous Decomposition Products	Strong oxidizing agent. Carbon Oxides



DOLPHIN DASHBOARD WAX SPRAY

Last Revision Date : 23.11.2017
Revision No. : 01

Page No. : Page 4 of 5

11. TOXICOLOGICAL INFORMATION

Possible Health Effects

Skin	May cause skin irritation and dermatitis.
Eye	Contact with eyes may cause irritation.
Inhalation	May cause irritation of respiratory tract. May cause central nervous system depression with nausea, headache, and dizziness.

12. ECOLOGICAL INFORMATION

Eco-toxicity	Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Persistence and Degradability	No data available.
Bioaccumulation	No information available.
Mobility	Can disperse in water
Other Adverse Effects	No information available.

13. DISPOSAL CONSIDERATIONS

Water Treatment Method	Recover or recycle if possible. Disposal should be accordance applicable regional, national and local laws and regulations.
Contaminated Packaging	Do not reuse container.

14. TRANSPORT INFORMATION

UN Number	UN 1950
IMDG Shipping Name	Aerosol
Transport Hazard Class	2.1
IATA Shipping Name	Aerosol Flammable
IATA Hazard Class	2.1
UN Number	UN 1950
ADG Shipping Name	Aerosol
ADG Hazard Class	2.1
UN Number	UN 1950

15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

TSCA	Complies
DSL/NDSL	Complies
ENCS	Not determined
IECSC	Not determined

Legend

TSCA	United State Toxic Substances Control Act Section 8 b Inventory.
DSL/NDSL	Canadian Domestic Substances List/Non domestic Substances list.
ENCS	Japan existing and New Chemical Substances.



DOLPHIN DASHBOARD WAX SPRAY

Last Revision Date : 23.11.2017
Revision No. : 01

Page No. : Page 5 of 5

IECSC	China Inventory of Existing Chemical Substances
KECL	Korean Existing and Evaluated Chemical Substances.
PICCS	Philippines Inventory of Chemicals & Chemical Substances.
AICS	Australian Inventory of Chemical Substances.
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act.
DOT	Department of Transportation
FIFRA	Federal Insecticide, Fungicide, and Rodenticide Act
HMIRC	Hazardous Materials Information Review Commission
HMIS	Hazardous Materials Identification System
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health.

FULL TEXT OF H-STATEMENTS

H 225	Highly Flammable liquid.
H 226	Flammable liquid and Vapor.
H 280	Contains gas under pressure may explode if heated.
H 301	Toxic if swallowed.
H 304	May be fatal if swallowed and enter airways.
H 311	Toxic in contact with skin.
H 312	Harmful in contact with skin.
H 315	Causes skin irritation.
H 319	Causes serious eye irritation.
H 331	Toxic if inhaled.
H 332	Harmful if inhaled.
H 370	Causes damage to organ.
H 373	May cause damage to organ through prolonged exposure.

16. OTHER INFORMATION

General Information

This product should be used as directed. For further information, please consult product data sheets and application information bulletin for this product.

Further Information

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate health and safety precaution, and hazard information. It does not represent a guarantee of the properties of product.

Revision Comments

This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is correct.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated.

However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.