



## PVC TAPES

### SECTION 1: PRODUCTION & COMPANY IDENTIFICATION

- 1.1 Product name : **PVC Tapes**
- 1.2 Manufacturer's name : **Al Muqarram Insulation Materials Industry L.L.C.**  
P.O. Box: 24756, Sharjah, U.A.E.  
Phone: + 971 6 5353796, Fax: + 971 6 5353964.  
Email: [info@muqarram.com](mailto:info@muqarram.com)  
Website: [www.muqarram.com](http://www.muqarram.com)

### SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS Number	% Weight
Synthetic Rubber	67254 – 76 - 6	45
Resin acids & Rosin acids	65997 – 13 – 9	40
Hydro carbon oil	64742 – 75 - 2	10
Benzene Propanoic acid	6683 – 19 – 8	2
Titanium di oxide	12463 – 67 - 7	3

### SECTION 3: IDENTIFICATION OF HAZARDS

- Effects over exposure:** No hazards exist under normal handling conditions. Persons with extremely sensitive skin may be subject to dermatitis
- Carcinogenicity data:** Dermatitis may occur in persons with extremely sensitive skin
- Eye contact:** May cause slight irritation.
- Reproductive effects:** None Known
- Mutagenicity data:** None Known
- Teratogenicity data:** None Known

### SECTION 4: FIRST-AID MEASURES

- Eye Contact:** Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally to remove particles.
- Skin Contact:** Wash exposed area with soap & water. Remove contaminated clothing & shoes. Wash cloth before reuse
- Inhalation:** Not a likely route of entry
- Ingestion:** Not a likely route of entry



**PVC TAPES**

**SECTION 5: ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** No special precaution measures required in normal use.

**SECTION 6: FIRE FIGHTING MEASURES**

- Flash Point:** None
- Extinguishing Method:** Water Foam & dry chemical
- Special Firefighting Procedure:** None
- Unusual Fire & Explosion Hazard:** None

**SECTION 7: HANDLING AND STORAGE**

**Handling:** Material will be tacky / sticky. Recommend the use of light weight cloth or leather gloves for actual handling of material.

**SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

- Eye Protection:** Safety glasses with side-shields recommended
- Skin Protection:** Normal lightweight work clothing will minimize skin contact
- Respiratory Protections:** No adverse respiratory exposure anticipated under normal use
- Engineering Controls:** No special engineering controls are required
- Exposure Guidelines:** Not applicable

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

- 9.1 Odor : No strong odour
- 9.2 Appearance : Colored tacky plastic film
- 9.3 Boiling points : NA
- 9.4 Vapor pressure : NA
- 9.5 Specific gravity : ~ 1
- 9.6 Solubility in other liquid : NA

**SECTION 10: STABILITY AND REACTIVITY**

**Hazardous Polymerization:** Not anticipated under normal or recommended handling, use, or storage conditions.



**PVC TAPES**

**Hazardous Decomposition:** None anticipated under normal or recommended handling, storage, and use conditions. If this product is subject to combustion it will undergo hazardous decomposition that will yield the formation and release of hazardous substances including but not limited to carbon dioxide, carbon monoxide, polycyclic organic matter, and particulate matter. This is not the intended use for this product.

**Chemical Stability:** Stable

**Incompatibility:** Incompatible with: strong acids and oxidizing agents.

**SECTION 11: OVER EXPOSURE AND TOXICOLOGICAL INFORMATION**

No data

**SECTION 12: ECOLOGICAL INFORMATION**

No data

**SECTION 13: DISPOSAL CONSIDERATION**

**Waste Management Information:** This material is considered to be non-hazardous under EPA's RCRA regulations.

**SECTION 14: DOT INFORMATION - 49 CFR 172.101**

**DOT description:** Material is not a hazardous material when shipped.

**Container / Mode:** Various size packages can be utilized for shipping this material

**SECTION 15: OTHER INFORMATION**

The information contained in this MSDS is presented in good faith, based on information available and is subject to change without notice.

Al Muqarram Insulation Materials Industry L.L.C makes no warranties, expressed or implied, including but not limited to, any implied warranty of merchantability or fitness for the practical purpose or course of performance of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the usage and application of AMI products, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the AMI products to determine whether it is fit for the particular purpose and suitable for user's method of application.