

TECHNICAL DATA SHEET

DOLPHIN Radiator Coolant

Revision Date : 12 Nov 2019

Revision No. 1

Number of Pages : 2

PRODUCT DESCRIPTION

Dolphin Radiator Coolant is a blend of premium glycols, rust Inhibitors and other performance enhancers for achieving optimum engine temperatures and extending its service life.

TECHNICAL PROPERTIS



Properties	Specifications
Basis	Glycol and DM Water
Color	Green & Red
Density	1.10 ± 0.01 g/cm ³
pH	8 – 9

Note:

* Information on this data sheet is subject to change without prior notice and should not be used for writing specifications

KEY FEATURES

- Ready to use.
- Formulated with special additives to increase the boiling point of product.
- Prevent rust, corrosion and buildup of scale.
- Can be used in radiators made up from different metals.
- Will not affect gasket and hoses
- Keeps the engine temperature in check and extends its service life

DIRECTIONS FOR USE	<ul style="list-style-type: none"> • Before performing the task, make sure the engine is turned off • When the engine is at room temperature, flush out the coolant by opening the drain plug. • Clean entire radiator system with pure water by using the suitable hose. Continue cleaning process by 3 to 5 times till drainage cleaned water solution is clear. • Fasten all drain plugs. • Fill the coolant system with Dolphin Radiator Coolant. • Turn on the engine and check for any leakage • Replace Dolphin Radiator Coolant after every 6,000-8,000 kms.
PACKAGING	Dolphin Radiator Coolant is available in 1 gallon container with 6 containers per packing.
STORAGE AND SHELF LIFE	Store in a cool, dry location in unopened containers at temperature below 50°C. Do not place in direct sunlight or nearby any heat and flame source. Dolphin Radiator Coolant has a shelf life of 36 months from date of manufacturing
HANDLING PRECAUTIONS	DOLPHIN RADIATOR COOLANT is unlikely to present any health and safety hazard when used in the recommended application and good standard of hygiene. Use gloves while pouring the coolant. Avoid skin contact. If coolant contact skin wash with water and soap immediately. For safe handling information, refer to the Material Safety Data Sheet of this product.

KEEP OUT OF REACH OF CHILDREN • KEEP CONTAINER TIGHTLY CLOSED • FOR INDUSTRIAL & PROFESSIONAL USE

The information and data contained herein is believed to be accurate and reliable; however, it is the user's responsibility to determine suitability of use. Since the supplier cannot know all the uses, or the conditions of use to which these products may be exposed, no warranties concerning the fitness or suitability for a particular use or purpose are made. AMI reserves the right to change the properties of its products without notice