

TECHNICAL DATA SHEET

DOLPHIN Radiator Flush

Revision Date : 23rd Aug, 2021

Revision No. 2

Number of Pages : 2

PRODUCT DESCRIPTION

Dolphin Radiator Flush is a powerful heavy-duty cleaner having multipurpose functions e.g. removes scale, eliminates rust deposits and oily residues from vehicle radiator and cooling system. The special formulation is Non-Hazardous for rubber hoses, seals and all metal surfaces.

TECHNICAL PROPERTIS



Properties	Specifications
Appearance	Clear colorless
Physical State	Liquid
pH	8.0 – 10.0
Specific Gravity	1.250 – 1.350

Note:

* Information on this data sheet is subject to change without prior notice and should not be used for writing specifications

KEY FEATURES

- Non-toxic formula.
- Eco- friendly.
- Excellent cleaning power.
- Ideal to use on rubber hoses, seals and all metal surfaces.
- Helps to prevent the radiator from overheating.

DIRECTIONS FOR USE	<ul style="list-style-type: none"> • Turn off the vehicle and wait to cool down. • Open radiator drainage valve fully and remove fully used coolant content from the radiator system. After flush with clean water 2 times to remove all used coolant. • Then close the drainage valve after add 335 ml of dolphin Radiator Flush inside of radiator tank. • Fill the tank with clean water and run the engine for 15 minutes. • Turn off the engine and drain the radiator again. • Wash the radiator tank with clean water. • One bottle is recommended for passenger cars and two bottles for heavy-duty vehicles e.g. Trucks, and Trailers, etc.
PACKAGING	Dolphin Radiator Flush is available in 335 ML bottle.
STORAGE AND SHELF LIFE	Store in a dry and well-ventilated store room at the temperature below 40 °C. Dolphin Radiator Flush has a shelf life of 36 months from date of manufacturing
HANDLING PRECAUTIONS	Avoid contact with eyes. In case of eye contact, immediately flush with plenty of water and take medical advice.

KEEP OUT OF REACH OF CHILDREN • KEEP CONTAINER TIGHTLY CLOSED • FOR INDUSTRIAL & PROFESSIONAL USE

The information and data contained herein is believed to be accurate and reliable; however, it is the user's responsibility to determine suitability of use. Since the supplier cannot know all the uses, or the conditions of use to which these products may be exposed, no warranties concerning the fitness or suitability for a particular use or purpose are made. AMI reserves the right to change the properties of its products without notice