

# الــــمكـــرم لـــصـــناعة المــــواد الـــعازلة ذ.م.م Al Muqarram Insulation Material Industry L.L.C.

# MATERIAL SAFETY DATA SHEET

ALUMINUM FOIL TAPE				
Revision Date: 9 <sup>th</sup> Mar, 2021	Revision No. 2	Number of Pages: 3		

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Details** 

Product Name : Aluminum Foil Tape

**Company Details** 

Company Name : Al Muqarram Insulation Materials Industry L.L.C.

Address : Industrial Area # 15, Post Box No. 24756

Sharjah, United Arab Emirates

Phone Number : +971 (6) 5353796 Fax No. : +971 (6) 5353964

E-mail ID : info@muqarram.com, sales@muqarram.com

Website : <u>www.muqarram.com</u>

**Emergency Telephone Number: 00971-549981925** 

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	% Weight
Aluminum Foil	7429-90-5	60 ~ 78
Synthetic Rubber Resin Adhesive	Proprietary	22 ~ 40

## 3. PHYSICAL DATA

**Boiling Point:** : N/A Vapor Pressure : N/A Vapor Density: : N/A **Evaporation Rate:** : N/A Solubility in Water: : N/A Specific Gravity: : N/A Percent Volatile: : N/A рΗ : N/A Viscosity : N/A **Melting Point** : N/A

Appearance & Odor : Roll of Tape, Silver / Aluminum Color

Abbreviations : N/D - Not Determined N/A - Not Applicable CA – Approximately

### 4. FIRE & EXPLOSION HAZARD DATA

Flash Point : N/A
Flammable Limits - LEL: : N/A
Flammable Limits - UEL : N/A
Auto ignition Temperature : N/D

**Extinguishing Media** : Water spray, Carbon dioxide, Dry chemical, Foam

Special Fire Fighting : Wear full protective clothing, including helmet, self- contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and

protective covering for exposed areas of the head.

**Unusual Fire And Explosion** 

Hazards

: None known.

NFPA Hazard Codes: : Health: 1 Fire: 1 Reactivity: 0

AMI | MSDS | info@muqarram.com | www.muqarram.com Page



# الــــمكـــرم لـــصـــناعة المـــواد الـــعازلة ذ.م.م

Al Muqarram Insulation Material Industry L.L.C.

Unusual Reaction Hazard : None
OSHA Fire Hazard Class : Not Applicable

5. REACTIVITY DATA

Stability : Stable Incompatibility - : None Known

Materials/Conditions to

avoid

Hazardous Polymerization : Hazardous polymerization will not occur.
Hazardous Decomposition : Carbon Monoxide and Carbon Dioxide

**Products** 

6. FIRE AND EXPLOSION HAZARD DATA

Flash Point : NA Auto Ignition Temp (°F) : Not Determined

LEL : NA UEL : NA

**Extinguishing Media** : Water spray, Carbon dioxide, Dry chemical, Foam

: None known

pecial Fire Fighting : Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand

Procedures breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and

protective covering for exposed areas of the head.

**Unusual Fire And Explosion** 

Hazards

NFPA Hazard Codes:

Unusual Reaction Hazard : None
OSHA Fire Hazard Class : Not applicable

## 7. ENVITONMENTAL INFORMATION

Spill Response : Not applicable

**Recommended Disposal** : Dispose of waste product in a sanitary landfill. Reclaim if feasible.

**Environmental Data** : Not determined.

**Regulatory Information**: Volatile Organic Compounds: N/A

**VOC Less H2O & Exempt** : N/A. Since regulations vary, consult applicable regulations of authorities before disposal.

Solvents

**EPCRA Hazard Class:** 

Fire Hazard : No Pressure : No Reactivity : No

Acute : No Chronic : No

## 8. EXPLOSUSE CONTROL / PERSONAL PROTECTION

**Eye protection** : Not applicable **Skin protection** : Not applicable

**Recommended Ventilation** : Provide appropriate local exhaust when product is heated **Respiratory Protections** : Avoid breathing of thermal decomposition products

Prevention of Accidental : Do not ingest

Ingestion

: Store at room temperature

**Recommended Storage** : Stor Fire & Explosion Avoidance : N/A

**Exposure Limits** 

Ingredient	Value	Unit	Туре	Auth	Skin*
Aluminum	10	Mg/M3	Twa	ACGIH	
Aluminum	15	Mg/M3	Twa	OSHA	
Adhesive - Synthetic Resin	None	None	None	None	

\*Skin Notation

: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the coetaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption

AMI | MSDS | info@muqarram.com | www.muqarram.com Page



# الـــــمكــــرم لــــصــــناعة المــــواد الــــعازلة ذ.م.م Al Muqarram Insulation Material Industry L.L.C.

### 9. HEALTH HAZARD DATA

Eye Contact : Eye contact is not expected to occur during normal use of the product

**Skin Contact** : No adverse health effects are expected from skin contact

**Mechanical Skin Irritation** : Signs/symptoms can include itching and redness

Inhalation : No adverse health effects are expected from inhalation exposure. Vapors of heated material

may cause respiratory system irritation

If Swallowed : Ingestion is not a likely route of exposure to this product. No adverse health effects are expected from

swallowing

Other Health Hazard

Information

: These products, when used under reasonable conditions, should not present a health and safety hazard. However, use or processing of the product in a manner not in accordance with the product's

directions for use may affect the performance of the product and may present potential health and

safety hazards.

### **10. OTHER INFORMATION**

The information contained in this MSDS is presented in good faith, based on information available and is subject to change without notice.

Al Muqarram Insulation Materials Industry L.L.C makes no warranties, expressed or implied, including but not limited to, any implied warranty of merchantability or fitness for the practical purpose or course of performance of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the usage and application of AMI products, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the AMI products to determine whether it is fit for the particular purpose and suitable for user's method of application.

AMI | MSDS | info@muqarram.com | www.muqarram.com Page