

MATERIAL SAFETY DATA SHEET

| DOLPHIN FIX AND SEAL ALL PURPOSE | | | | |
|----------------------------------|----------------------|--------------------------------------|----------------------|--|
| Revision Date : 01/06/2023 | | Revision No. 00 | Number of Pages : 14 | |
| | | | | |
| 1. PRODUCT AND COMPANY | IDENTIFICATIO | N | | |
| Product Details | | | | |
| Product Name | | AND SEAL ALL PURPOSE | | |
| Product Code | | EAL ALL PURPOSE | | |
| Recommended Use | : Consumer and | Professional use | | |
| Company Details | | | | |
| Company Name | : Al Mugarram | Insulation Materials Industry L.L.C. | | |
| Address | | a # 15, Post Box No. 24756 | | |
| | Sharjah, Unite | d Arab Emirates | | |
| Phone Number | : +971 (6) 53537 | 796 | | |
| Fax No. | : +971 (6) 53539 | 964 | | |
| E-mail ID | : info@muqarra | am.com, sales@muqarram.com | | |
| Website | : www.muqarra | im.com | | |
| | | | | |

Emergency Telephone Number: 00971-549981925

| 2.1. Classification of the substance or mixture | : Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified |
|---|--|
| Adverse physicochemical, human health and environmental effects | : To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice. |
| 2.2. Label elements | : Labelling according to Regulation (EC) No. 1272/2008 [CLP] |
| Hazard pictograms (CLP) | EUH Statements - EUH210 – Safety data sheet available on request EUH212 – Warning! Hazardous respirable dust may be formed when used. Do not breathe dust. (Except for black/brown/transparent product) |
| 2.3. Other hazards | Contains no PBT/vPvB substances ≥0.1% assessed in accordance with REACH Annex XIII |

| Component | |
|---|--|
| trimethoxyvinylsilane (2768-02-7) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This |
| | substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This |
| | substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %



MSDS

ـمكــــرم لــــصــــناعة المــــواد الــــعازلة ذ.م.م Al Muqarram Insulation Material Industry L.L.C. and Info@muqarram.com Т Т www.muqarram.com

Head Office 💡 P.O. Box 24756, Sharjah, U.A.E. 🌜 +971 6 535 3796



info@muqarram.com



3. Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|-------------|---|
| reaction mass of N,N'-ethane-1,2-diylbis(hexanamide)and 12-hydroxy-N-[2-[(1- oxyhexyl)amino]ethyl]octadecanamide and N,N'- ethane- 1,2-diylbis(12-hydroxyoctadecan amide) | EC-No.: 432-430-3 REACH-no: 01-0000017860- 69 | ≥1-<5 | Aquatic Chronic 4, H413 |
| trimethoxyvinylsilane | CAS-No.: 2768-02-7 EC-No.: 220-449-8 EC Index-No.: 014-049-00-0 REACH-no: 01-2119513215- 52 | ≥0,1-<1 | Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Sens. 1B, H317 |
| N-(2-aminoethyl)3-aminopropyltrimethoxysilane | CAS-No.: 1760-24-3 EC-No.: 217-164-6 REACH-no: 01-2119970215- 39 | < 1 | Eye Dam. 1, H318 Skin Sens. 1, H317 |
| dioctylbis(pentane-2,4-dionato-O,O')tin substance with national workplace exposure limit(s)(BE) | CAS-No.: 54068-28-9 EC-No.: 483-270-6 REACH-no: 01-0000020199- 67 | ≥ 0,1 - < 1 | Skin Sens. 1, H317 STOT SE 2, H371 |
| bis (2, 2, 6, 6-tetramethyl-4-piperidyl) sebacate | CAS-No.: 52829-07-9 EC-No.: 258-207-9 REACH-no: 01-2119537297- 32 | ≥ 0,1 - < 1 | Eye Dam. 1, H318 Repr. 2, H361f Aquatic Acute 1, H400 |

Full text of H- and EUH-statements: see section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact |
|--------------------------------------|--|
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing.First-aid measures after skin contact |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Effects after skin contact : Repeated exposure may cause skin dryness or cracking.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

 5.1. Extinguishing media

 Suitable Extinguishing Media
 : Water spray. Dry powder. Foam. Carbon dioxide.

 Unsuitable Extinguishing Media
 : None known.

5.2. Special hazards arising from the substance or mixture



الــــمكـــرم لــــصـــناعة المـــواد الـــعازلة ذ.م.م Al Muqarram Insulation Material Industry L.L.C. ع المـــواد الـــعازلة ذ.م.م الــــمكـــرم لــــصـــناعة المـــواد الـــعازلة ذ.م.م

MSDS | info@muqarram.com | www.muqarram.com

AMI

Т



Page 3 of 13

| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|---|--|
| 5.3. Advice for firefighters Firefighting instructions | : Dilute toxic gases with water spray. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

| 6. ACCIDENTAL RELEASE I | MEASURES |
|----------------------------------|--|
| 6.1. Personal precautions, prote | ective equipment and emergency procedures |
| 6.1.1 For non-emergency perso | nnel |
| Emergency procedures | : Ventilate spillage area. |
| 6.1.2 For emergency responder | 'S |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: |
| | "Exposure controls/personal protection". |
| 6.2. Environmental precautions | 5 |
| Avoid release to the environment | nt. |
| 6.3. Methods and material for o | containment and cleaning up |
| Methods for cleaning up | : Mechanically recover the product. |
| Other information | : Dispose of materials or solid residues at an authorized site. |
| 6.4. Reference to other sections | S |
| For further information refer to | section 13. |

| 7.1. Precautions for safe handling | 3 | | |
|-------------------------------------|--|--|--|
| Precautions for safe handling | : Ensure good ventilation of the work station. Wear personal protective equipment. | | |
| Hygiene measures | : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. | | |
| 7.2. Conditions for safe storage, i | ncluding any incompatibilities | | |
| Storage conditions | : Store at room temperature. Store in a well-ventilated place. Keep container closed when notin use. | | |
| | Maximum storage period $: \approx 1$ year | | |
| | Packaging materials : Synthetic material. | | |

7.3. Specific end use(s)

AMI

Т

MSDS

Т

info@muqarram.com

Т

No additional information available

| 8. EXPOSURE CONTROLS/PERSONAL PRO | DTECTION | |
|---|--|--------------------------|
| 8.1. Control parameters | | |
| 8.1.1 National occupational exposure and biologic | al limit values | |
| | | |
| dioctylbis(pentane-2,4-dionato-O,O')tin (5406 | 58-28-9) | |
| Belgium - Occupational Exposure Limits | | |
| WEL TWA (OEL TWA) [1] | 0.1 mg/m³ | |
| WEL STEL (OEL STEL) | 0.2 mg/m ³ | |
| 8.1.2. Recommended monitoring procedures | | |
| No additional information available | | |
| 8.1.3. Air contaminants formed | | |
| No additional information available 8.1.4.DNEL and PNEC | | |
| 8.1.4.DNEL and PNEC | | |
| bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate | e (52829-07-9) | |
| DNEL/DMEL (Workers) | | |
| | Les (e II Head Office | AN ISO CERTIFIED COMPANY |
| ـــصــــناعة المــــواد الــــعازلة ذ.م.م Al Muqarram Insulation Material | P.O. Box 24756, Sharjah, U.A.E. ↓ +971 6 535 3796 Industry L.L.C. info@muqarram.com www.muqarram.com | |



| Acute - systemic effects, inhalation | 2,82 mg/m³ |
|---|---|
| Long-term - systemic effects, dermal | 1,6 mg/kg bw/day |
| Long-term - systemic effects, inhalation | 2,82 mg/m³ |
| DNEL/DMEL (General population) | |
| Long-term - systemic effects,oral | 0,4 mg/kg bw/day |
| Long-term - systemic effects, inhalation | 0,69 mg/m³ |
| Long-term - systemic effects, dermal | 0,8 mg/kg bw/day |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 0,019 mg/l |
| PNEC aqua (marine water) | 0,002 mg/l |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 29 mg/kg dwt |
| PNEC sediment (marine water) | 2,9 mg/kg dwt |
| PNEC (Soil) | |
| PNEC soil | 5,9 mg/kg dwt |
| PNEC (STP) | |
| PNEC sewage treatment plant | 1 mg/l |
| | ide) and 12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamideand N,N'- |
| ethane-1,2-diylbis(12-hydroxyoctadecan amide) | |
| DNEL/DMEL (Workers) | |
| Long-term - systemic effects, dermal | 10 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 35,24 mg/m ³ |
| DNEL/DMEL (General population) | |
| Long-term - systemic effects,oral | 5 mg/kg bodyweight/day |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 0,009 mg/l |
| PNEC aqua (marine water) | 0,001 mg/l |
| PNEC aqua (intermittent, freshwater) | 3,7 mg/l |
| reaction mass of N,N'-ethane-1,2-diylbis(hexanam ethane-1,2-diylbis(12-hydroxyoctadecan amide) | ide) and 12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamideand N,N'- |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 384 mg/kg dwt |
| PNEC sediment (marine water) | 38,4 mg/kg dwt |
| PNEC (Soil) | |
| PNEC soil | 52,1 mg/kg dwt |
| PNEC (Oral) | |
| PNEC oral (secondary poisoning) | 222,2 mg/kg food |
| PNEC (STP) | |
| | |



AMI



| DNEL/DMEL (Workers) .ong-term - systemic effects, dermal 3,9 mg/kg bw/day .ong-term - systemic effects, inhalation 27,6 mg/m³ DNEL/DMEL (General population) 27,6 mg/m³ | PNEC sewage treatment plant | 100 mg/l | |
|--|--|---------------------------------------|-----------------------|
| ang-tern - systemic effects, inhalation 27,6 mg/mg Acute - systemic effects, inhalation 33,4 mg/mg Acute - systemic effects, inhalation 33,4 mg/mg Acute - systemic effects, inhalation 18,9 mg/mg Acute - systemic effects, inhalation 0,001 in (54068-28-) DNEL/OMEL (Workers) Nacute - systemic effects, inhalation 0,001 mg/mg Acute - systemic effec | trimethoxyvinylsilane (2768-02-7) | | |
| ang term - systemic effects, inhalation 27.6 mg/m ³ 26.9 mg/kg bodywejkt/day Acute - systemic effects, email 28.9 mg/m Acute - systemic effects, inhalation 38.9 mg/m ³ ang-term - systemic effects, inhalation 28.9 mg/m Acute - systemic effects, inhalation 28.9 mg/m PNEC (Water) NEC Caqua (intermittent, freshwater) 3.4 mg/l diotybic[pentane=2,4-dionato-O,O')tin (54068-28> DNEL/DMEL (Workers) Acute - systemic effects, inhalation 0.091 mg/m ³ Acute - acute fresh water) 0.026 mg/l NECC aqua (intermittent, freshwater) 0.026 mg/l NECC aqua (intermittent, freshwater) 0.025 mg/kg dwt NECC aqua (intermittent, freshwater) 0.025 mg/kg dwt NECC aqua (intermittent, freshwater) 0.0155 mg/kg dwt NECC aqua (intermittent aquer) 1.0155 mg/kg dwt NECC aquer (aquer) 1.01550 mg/kg dwt NECC aquer (aquer) 1.01550 mg/kg dwt Acute (Scillion and aquer) 1.01550 m | DNEL/DMEL (Workers) | | |
| DNE/DMEL (General population) Acute - systemic effects, dermal 26,9 mg/kg bodyweight/day Acute - systemic effects, inhalation 93,4 mg/m ¹ Ong-term - systemic effects, inhalation 18,9 mg/m ² Ong-term - systemic effects, effects, dermal 7,8 mg/kg bw/day Ong-term - systemic effects, inhalation 18,9 mg/m ² Ong-term - systemic effects, effects, dermal 7,8 mg/kg bw/day PNEC (Vater) 3,4 mg/l PNEC (Vater) 3,4 mg/m ² PNEC (Vater) 0,021 mg/m ² Ong-term - systemic effects, inhalation 0,021 mg/m ² Ong-term - systemic effects, inhalation 0,021 mg/m ² Ong-term - systemic effects, inhalation 0,021 mg/m ² PNEC aqua (Ireshwater) 0,026 mg/l PNEC aqua (Ireshwater) 0,025 mg/kg dwt PNEC aqua (Ireshwater) 0,015 mg/kg dwt PNEC aqua (Ireshwater) 0,015 mg/kg dwt PNEC aqua (Ireshwater) 0,015 mg/kg dwt PNEC aqua (Ireshwate | ong-term - systemic effects, dermal | 3,9 mg/kg bw/day | |
| kaute - systemic effects, dermal 26,9 mg/kg bodyweight/day kaute - systemic effects, inhalation 3,4 mg/m³ | ong-term - systemic effects, inhalation | 27,6 mg/m³ | |
| secure - systemic effects, inhalation 93.4 mg/m³ .ong-term - systemic effects, inhalation 18.9 mg/m³ .ong-term - systemic effects, inhalation 18.9 mg/m³ .ong-term - systemic effects, inhalation 3.4 mg/l .ong-term - systemic effects, inhalation 3.4 mg/l .ong-term - systemic effects, inhalation 3.4 mg/l .ong-term - systemic effects, inhalation 8.4 mg/m³ .ong-term - systemic effects, inhalation 0.093 mg/m³ .ong-term - systemic effects, inhalation 0.026 mg/l .ong-term - systemic effects, inh | DNEL/DMEL (General population) | | |
| ang-term - systemic effects, inhalation 18,9 mg/m ³ | Acute - systemic effects, dermal | 26,9 mg/kg bodyweight/day | |
| ang-term - systemic effects, inhalation 18,9 mg/m ³ ang-term - systemic effects, dermal 7,8 mg/kg bw/day PNEC (Water) PNEC aqua (intermittent, freshwater) 3,4 mg/l dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) PNEL/DNEL (Workers) NELL - systemic effects, inhalation 84 mg/m ³ ang-term - systemic effects, inhalation 0,091 mg/m ³ Acute - local effects, inhalation 0,091 mg/m ³ ang-term - systemic effects, inhalation 84 mg/m ³ ang-term - systemic effects, inhalation 0,091 mg/m ³ Acute - local effects, inhalation 0,091 mg/m ³ PNEC aqua (intermittent, freshwater) 0,026 mg/l PNEC aqua (intermittent, freshwater) 0,026 mg/l PNEC aqua (intermittent, freshwater) 0,026 mg/l PNEC aqua (intermittent, freshwater) 0,025 mg/kg dwt PNEC (Sediment (freshwater) 0,0155 mg/kg dwt PNEC (Sediment (freshwater) 0,0155 mg/kg dwt PNEC (Soll 0,0158 mg/kg dwt PNEC (Soll 0,0158 mg/kg dwt PNEC (Stering) PNEC (Stering) PNEC (Stering) PNEC (Stering available 2 Exposure Controls 2.1 Appropriate engineering controls propriate engineering controls propriate engineering controls propriate engineering controls PNEC (Stering available) 2.2. Personal protection equipment symbol(s) AD ISO CERTIFIED COME | Acute - systemic effects, inhalation | 93,4 mg/m³ | |
| ong-term - systemic effects, dermal 7,8 mg/kg bw/day NREC (Water) 3,4 mg/l NREC (Water) 3,4 mg/l Idoctybils(pentane-2,4-dionato-0,0)'lin (54068-28-9) NREC/NREC (Workers) NREC (Workers) 4 mg/m² Cucte - systemic effects, inhalation 0,991 mg/m² Ong-term - systemic effects, inhalation 0,091 mg/m² NREC (Water) 0,026 mg/l NREC (Water) 0,026 mg/l NREC (Water) 0,026 mg/l NREC (Sadiment) 0,026 mg/l NREC squa (intermittent, freshwater) 0,026 mg/l NREC scaliment (freshwater) 0,155 mg/kg dwt NREC scaliment (marine water) 0,0158 mg/kg dwt NREC scaliment (parter explice) NREC scaliment (parter explice) NREC Scaliment plant 1 mg/l 1.5 Control Banding available 2 mg/l 2.1 Appropriate engineering controls propriate engineering controls propriate engineering controls propriate engineering controls propriate engineering controls 1.2 Appropriate engineering controls propriate engineering controls 2.1 Appropriat | ong-term - systemic effects,oral | 0,3 mg/kg bw/day | |
| NEC (Water) NEC aqua (intermittent, freshwater) NEC aqua (intermittent, freshwater) NEC aqua (intermittent, freshwater) NEC (Vorkers) NEC (Vorkers) NEC (Vorkers) NEC (Sedment) NEC aqua (intermittent, freshwater) NEC sediment (freshwater) NEC sediment (freshwater) NEC sediment (marine water) NEC sediment (| ong-term - systemic effects, inhalation | 18,9 mg/m³ | |
| NEC aqua (intermittent, freshwater) 3,4 mg/l iioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) NEL/OMEL (Workers) ccute - systemic effects, inhalation 0,091 mg/m ³ ong-term - systemic effects, inhalation 0,091 mg/m ³ ong-term - systemic effects, inhalation 0,091 mg/m ³ ong-term - systemic effects, inhalation 0,091 mg/m ³ OLO91 mg/m ³ NEC (Water) NEC aqua (freshwater) 0,026 mg/l NEC aqua (intermittent, freshwater) 0,0155 mg/kg dwt NEC Sediment (ifesiwater) 1,0155 mg/kg dwt NEC Second protection equipment ifesion if the work station. 2.2.Personal protection equipment isombol(s) | ong-term - systemic effects, dermal | 7,8 mg/kg bw/day | |
| inctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) NREL/DMEL (Workers) ucute - systemic effects, inhalation 84 mg/m ³ ucute - local effects, inhalation 0,091 mg/m ³ ong-term - systemic effects, inhalation 84 mg/m ⁴ ong-term - systemic effects, inhalation 0,091 mg/m ³ NREC (Water) NEC aqua (freshwater) 0,026 mg/1 NEC aqua (marine water) 0,026 mg/1 NEC aqua (intermittent, freshwater) 0,26 mg/1 NEC aqua (intermittent, freshwater) 0,25 mg/kg dwt NEC Sediment (marine water) 0,0155 mg/kg dwt NEC Sediment (marine water) 0,0158 mg/kg dwt NEC Sediment (marine water) 0,0158 mg/kg dwt NEC Sediment (marine water) 0,0158 mg/kg dwt NEC Sediment (partne water) 0,0158 mg/kg dwt NEC Sediment (partne water) 0,0158 mg/kg dwt NEC Sediment plant 1 mg/1 LS Control Banding additional information available E Exposure Controls L3. Appropriate engineering controls propriate engineering controls L3. Appropriate engineering controls Propriate engineering controls L3. Appropriate | NEC (Water) | | |
| NRE/CDMEL (Workers) cute - systemic effects, inhalation 84 mg/m³ cute - local effects, inhalation 0,091 mg/m³ ong-term - systemic effects, inhalation 84 mg/m³ ong-term - systemic effects, inhalation 84 mg/m³ ong-term - local effects, inhalation 0,091 mg/m³ NREC (Water) NREC aqua (freshwater) 0,0196 mg/l NREC aqua (marine water) 0,026 mg/l NREC aqua (intermittent, freshwater) 0,266 mg/l NREC aqua (intermittent, freshwater) 0,266 mg/l NREC aqua (intermittent, freshwater) 0,255 mg/kg dwt NREC (Sediment) NREC sediment (marine water) 0,0155 mg/kg dwt NREC sediment (marine water) 0,0158 mg/kg dwt NREC (Soil) NREC sediment plant 0,0158 mg/kg dwt NREC sediment plant 1 mg/l LS control Banding additional information available E Exposure Controls L3. Appropriate engineering controls propriate engineering controls L3. Appropriate engineering controls Propriate engineering controls AD (SO CERTIFIED COME PROPRIME SECONE PROPRIME S | NEC aqua (intermittent, freshwater) | 3,4 mg/l | |
| cute - systemic effects, inhalation 84 mg/m³ cute - local effects, inhalation 0.091 mg/m³ ong-term - systemic effects, inhalation 0.07 mg/kg bw/day ong-term - systemic effects, inhalation 0.091 mg/m³ ong-term - local effects, inhalation 0.091 mg/m³ ong-term - local effects, inhalation 0.091 mg/m³ NEC (Water) 0.026 mg/l NEC aqua (marine water) 0.026 mg/l NEC aqua (intermittent, freshwater) 0.026 mg/l NEC aqua (intermittent, freshwater) 0.0155 mg/kg dwt NEC Sediment (freshwater) 0.155 mg/kg dwt NEC Sediment (marine water) 0.0155 mg/kg dwt NEC Soli 0.0158 mg/kg dwt NEC Soli 0.0158 mg/kg dwt NEC Soli 0.0158 mg/kg dwt NEC Sectore Banding a additional information available 1 mg/l L5 Control Banding a additional information available : Ensure good ventilation of the work station. 2.2. Personal protection equipment smood protection equipment symbol(s) : Ensure good ventilation of the work station. | lioctylbis(pentane-2,4-dionato-O,O')tin (540 | 58-28-9) | |
| cute - local effects, inhalation 0.091 mg/m³ ong-term - systemic effects, inhalation 0.07 mg/kg bw/day ong-term - systemic effects, inhalation 0.091 mg/m³ ong-term - local effects, inhalation 0.091 mg/m³ ong-term - local effects, inhalation 0.091 mg/m³ NEC Quater 0.026 mg/l NEC aqua (marine water) 0.026 mg/l NEC aqua (intermittent, freshwater) 0.026 mg/l NEC aqua (intermittent, freshwater) 0.026 mg/l NEC Sediment) 0.0155 mg/kg dwt NEC Sediment (freshwater) 0.155 mg/kg dwt NEC Sediment (marine water) 0.0158 mg/kg dwt NEC Soli 0.0158 mg/kg dwt NEC Soli 0.0158 mg/kg dwt Story) Ing/l NEC Second protection equipment symbol(s) Ensure good ventilation of the work station. | DNEL/DMEL (Workers) | | |
| ong-tern - systemic effects, dermal 0,07 mg/kg bw/day 84 mg/m ³ 0,091 mg/m ³ NEC (Mater) 0,091 mg/m ³ NEC (Water) 0,026 mg/l 0, | cute - systemic effects, inhalation | 84 mg/m³ | |
| ong-tern - systemic effects, inhalation 84 mg/m ³ ong-term - local effects, inhalation 0,091 mg/m ³ NEC (Water) NEC aqua (freshwater) 0,026 mg/l NEC aqua (marine water) 0,026 mg/l NEC aqua (intermittent, freshwater) 0,26 mg/l NEC aqua (intermittent, freshwater) 0,26 mg/l NEC aqua (intermittent, freshwater) 0,155 mg/kg dwt NEC sediment (marine water) 0,155 mg/kg dwt NEC sediment (marine water) 0,0155 mg/kg dwt NEC sediment (marine water) 0,0158 mg/kg dwt NEC sediment (marine water) 0,0158 mg/kg dwt NEC soil 0,0158 mg/kg dwt NEC soil 0,0158 mg/kg dwt NEC soil 0,0158 mg/kg dwt NEC (STP) NEC sewage treatment plant 1 mg/l L5 Control Banding a additional information available 2 Exposure Controls L1 Appropriate engineering controls propriate engineering controls L2.2 Personal protection equipment rsonal protection equipment symbol(s) AN ISO CERTIFIED COME | cute - local effects, inhalation | 0,091 mg/m ³ | |
| ong-term - local effects, inhalation 0,091 mg/m³ NEC (Water) 0,026 mg/l NEC aqua (freshwater) 0,026 mg/l NEC aqua (marine water) 0,026 mg/l NEC aqua (intermittent, freshwater) 0,26 mg/l NEC sediment) 0,25 mg/kg dwt NEC sediment (freshwater) 0,155 mg/kg dwt NEC sediment (marine water) 0,0158 mg/kg dwt NEC sediment (marine water) 0,0158 mg/kg dwt NEC soli 1 mg/l LS control Banding 2 additional information available 2 Exposure Controls 2.1 Appropriate engineering controls propriate engineering controls 2.1 Appropriate engineering controls propriate engineering controls : Ensure good ventilation of the work station. 2.2. Personal protection equipment rsonal protection equipment symbol(s) AN ISO CERTIFIED COME | ong-term - systemic effects, dermal | 0,07 mg/kg bw/day | |
| NEC (Water) NEC aqua (freshwater) 0,026 mg/l NEC aqua (marine water) 0,0026 mg/l NEC aqua (intermittent, freshwater) 0,26 mg/l NEC aqua (intermittent, freshwater) 0,26 mg/l NEC sediment (freshwater) 0,25 mg/kg dwt NEC sediment (marine water) 0,0155 mg/kg dwt NEC soil 0,0158 mg/kg dwt NEC soil 0,0158 mg/kg dwt NEC soil 1 0,0158 mg/kg dwt NEC soil 1 mg/l L5 Control Banding 2 additional information available 2 Exposure Controls 2.1. Appropriate engineering controls 2.2. Personal protection equipment rsonal protection equipment sonal protection equipment sonal protection equipment | ong-term - systemic effects, inhalation | 84 mg/m ³ | |
| NEC aqua (freshwater) 0,026 mg/l NEC aqua (marine water) 0,026 mg/l NEC aqua (intermittent, freshwater) 0,26 mg/l NEC aqua (intermittent, freshwater) 0,26 mg/l NEC (sediment) NEC (sediment (freshwater) 0,155 mg/kg dwt NEC sediment (marine water) 0,0155 mg/kg dwt NEC sediment (marine water) 0,0155 mg/kg dwt NEC (soil) NEC soil 0,0158 mg/kg dwt NEC (soil) NEC (soil 0,0158 mg/kg dwt NEC (STP) NEC (STP) NEC sewage treatment plant 1 mg/l L5 Control Banding a additional information available 2 Exposure Controls 2.1 Appropriate engineering controls 2.2 Personal protection equipment rsonal protection equipment rsonal protection equipment rsonal protection equipment seval additional information symbol(s) | ong-term - local effects, inhalation | 0,091 mg/m ³ | |
| NEC aqua (marine water) 0,0026 mg/l NEC aqua (intermittent, freshwater) 0,26 mg/l NEC sediment) 0,155 mg/kg dwt NEC sediment (freshwater) 0,155 mg/kg dwt NEC sediment (marine water) 0,0155 mg/kg dwt NEC (Soil) 0,0158 mg/kg dwt NEC (Soil) 0,0158 mg/kg dwt NEC soil 0,0158 mg/kg dwt NEC (Soil) 0,0158 mg/kg dwt NEC soil 0,0158 mg/kg dwt NEC (STP) NEC (STP) NEC sewage treatment plant 1 mg/l 1.5 Control Banding a additional information available 2 Exposure Controls 2.1 Appropriate engineering controls propriate engineering controls : Ensure good ventilation of the work station. 2.2. Personal protection equipment rsonal protection equipment symbol(s) AN ISO CERTIFIED COME | NEC (Water) | | |
| NEC aqua (intermittent, freshwater) 0,26 mg/l NEC (Sediment) NEC sediment (freshwater) 0,255 mg/kg dwt NEC sediment (marine water) 0,0155 mg/kg dwt NEC (Soil) NEC soil 0,0158 mg/kg dwt Intervention and the set of the set | NEC aqua (freshwater) | 0,026 mg/l | |
| NEC (Sediment) 0,155 mg/kg dwt NEC sediment (freshwater) 0,0155 mg/kg dwt NEC sediment (marine water) 0,0155 mg/kg dwt NEC (Soil) 0,0158 mg/kg dwt NEC soil 0,0158 mg/kg dwt Iioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) NEC (STP) NEC sewage treatment plant 1 mg/l L.5 Control Banding • additional information available 2 Exposure Controls 2.1 Appropriate engineering controls propriate engineering controls : Ensure good ventilation of the work station. 2.2. Personal protection equipment rsonal protection equipment symbol(s) AN ISO CERTIFIED COME | NEC aqua (marine water) | 0,0026 mg/l | |
| NEC sediment (freshwater) 0,155 mg/kg dwt NEC sediment (marine water) 0,0155 mg/kg dwt NEC (Soil) 0,0158 mg/kg dwt NEC soil 0,0158 mg/kg dwt Iioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) NEC (STP) NEC sewage treatment plant 1 mg/l L5 Control Banding a additional information available 2 Exposure Controls 2.1. Appropriate engineering controls propriate engineering controls : Ensure good ventilation of the work station. 2.2. Personal protection equipment rsonal protection equipment symbol(s) AN ISO CERTIFIED COME | NEC aqua (intermittent, freshwater) | 0,26 mg/l | |
| NEC sediment (marine water) 0,0155 mg/kg dwt NEC (Soil) NEC soil 0,0158 mg/kg dwt ioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) NEC (STP) NEC sewage treatment plant 1 mg/l L5 Control Banding b additional information available 2 Exposure Controls 2.1. Appropriate engineering controls propriate engineering controls 2.2. Personal protection equipment rsonal protection equipment | NEC (Sediment) | | |
| NEC (Soil) NEC soil 0,0158 mg/kg dwt ioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) NEC (STP) NEC sewage treatment plant 1 mg/l LS Control Banding additional information available 2 Exposure Controls 2.1. Appropriate engineering controls propriate engineering controls 2.2. Personal protection equipment rsonal protection equipment rsonal protection equipment rsonal protection equipment rsonal protection equipment | NEC sediment (freshwater) | 0,155 mg/kg dwt | |
| NEC soil 0,0158 mg/kg dwt iioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) NEC (STP) NEC sewage treatment plant 1 mg/l .5 Control Banding additional information available E Exposure Controls 2.1. Appropriate engineering controls propriate engineering controls :1. Appropriate engineering controls :2. Personal protection equipment rsonal protection equipment symbol(s) AN ISO CERTIFIED COME | NEC sediment (marine water) | 0,0155 mg/kg dwt | |
| lioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) NEC (STP) NEC sewage treatment plant 1 mg/l L.5 Control Banding a additional information available Exposure Controls 2.1. Appropriate engineering controls propriate engineering controls : Ensure good ventilation of the work station. 2.2. Personal protection equipment rsonal protection equipment rsonal protection equipment symbol(s) | NEC (Soil) | | |
| INEC (STP) INEC sewage treatment plant 1 mg/l 1.5 Control Banding • additional information available 2 Exposure Controls 2.1. Appropriate engineering controls • propriate engineering controls • Ensure good ventilation of the work station. 2.2. Personal protection equipment rsonal protection equipment symbol(s) | NEC soil | 0,0158 mg/kg dwt | |
| NEC sewage treatment plant 1 mg/l 1.5 Control Banding additional information available 2 Exposure Controls 2.1. Appropriate engineering controls 2.1. Appropriate engineering controls : Ensure good ventilation of the work station. 2.2. Personal protection equipment rsonal protection equipment symbol(s) AN ISO CERTIFIED COME | lioctylbis(pentane-2,4-dionato-O,O')tin (540 | 58-28-9) | |
| 2.5 Control Banding additional information available Exposure Controls 2.1. Appropriate engineering controls propriate engineering controls : Ensure good ventilation of the work station. 2.2. Personal protection equipment rsonal protection equipment symbol(s) | NEC (STP) | | |
| additional information available Exposure Controls C.1. Appropriate engineering controls propriate engineering controls : Ensure good ventilation of the work station. C.2. Personal protection equipment rsonal protection equipment symbol(s) AN ISO CERTIFIED COME | NEC sewage treatment plant | 1 mg/l | |
| AN ISO CERTIFIED COMP | additional information available 2 Exposure Controls 2.1. Appropriate engineering controls propriate engineering controls : Ensure g 2.2. Personal protection equipment | good ventilation of the work station. | |
| AN ISO CERTIFIED COMP الــــمكـــرم لــــصـــناعة المـــواد الــــعازلة ذ.م.م | rsonal protection equipment symbol(s) | | |
| | المصيفاعة المصاد الصعادلة ذرمرم فتت | م الطلق Head Office | AN ISO CERTIFIED COMP |

I.





8.2.2.1. Eye and face protection Eye protection : Safety glasses 8.2.2.2. Skin protection : Wear suitable protective clothing Skin and body protection Hand protection : Protective gloves 8.2.2.3. Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment 8.2.2.4. Thermal hazards No additional information available 8.2.3. Environmental exposure controls Avoid release to the environment

9. PHYSICAL AND CHEMICAL PROPERTIES

| erties |
|-------------------|
| Solid |
| Various colours. |
| Pasty. |
| characteristic. |
| Not available |
| Not available |
| Not applicable |
| Not available |
| Non flammable. |
| Not applicable |
| Not available |
| Not available |
| Not available |
| Not applicable |
| Not available |
| vailable |
| |
| Not available |
| 1,045 g/cm³ (20°C |
| Not available |
| Not applicable |
| Not available |
| 1 1 1 |

No additional information available



الــــمكـــرم لــــصـــناعة المـــواد الـــعازلة ذ.م.م Al Muqarram Insulation Material Industry L.L.C. العاراة الـــعازلة ف.م.م ه info@muqarram.com ه www.muqarram.com MSDS Т info@muqarram.com



www.muqarram.com



9.2.2. Other safety characteristics

VOC content

: <1%

10. STABILITY AND REACTIVITY

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

- 10.2. Chemical stability
- Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommendation storage and handling conditions (See Section-7)

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

| 1. TOXICOLOGICAL INFORMATION | | |
|--|--|--|
| 11.1. Information on toxicological effects Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) | : Not classified : Not classified : Not classified | |
| bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate | e (52829-07-9) | |
| LD50 oral rat | 3700 mg/kg bodyweight (Equivalent or similar to OECD 423, Rat, Male / female, Experimental value, Oral, 14 day(s) | |
| LD50 dermal rat | > 3170 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s) | |
| LC50 Inhalation - Rat | 0,5 mg/l air (Equivalent or similar to OECD 403, 4 weeks (daily, 5 days / week), Rat, Male/ female, Experimental value, Inhalation (aerosol), 7 day(s) | |
| reaction mass of N,N'-ethane-1,2-diylbis(hexanamide) and 12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamideand N,I ethane-1,2-diylbis(12-hydroxyoctadecan amide) | | |
| LD50 oral rat | > 2000 mg/kg | |
| LD50 dermal rat | > 2000 mg/kg | |
| trimethoxyvinylsilane (2768-02-7) | | |
| LD50 oral rat | 6899 – 7012 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) | |
| LD50 dermal rabbit | 3158 – 3760 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male /female, Experimental value, Dermal, 14 day(s)) | |
| LC50 Inhalation - Rat | 16,8 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value,Inhalation (vapours), 14 day(s)) | |
| dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) | | |
| LD50 oral rat 2500 mg/kg (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female Experimental value, Oral) | | |
| LD50 dermal rat | > 2000 mg/g (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimentalvalue, Dermal) | |
| LC50 Inhalation - Rat | 5,1 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimentalvalue, Inhalation (vapours)) | |



IVII AMI

L

Skin corrosion/irritation

MSDS

Al Muqarram Insulation Material Industry L.L.C. and Info@muqarram.com Т info@muqarram.com Т www.muqarram.com

Head Office الــــمكـــرم لـــصـــناعة المـــواد الـــعازلة ذ.م.م 💡 P.O. Box 24756, Sharjah, U.A.E. 🌜 +971 6 535 3796

Page 7 of 13



| Serious eye damage/irritation Respiratory or skin sensitization | : Not classified : Not classified (On basis of test data. Skin sensitization Not classified) | |
|--|--|--|
| DOLPHIN Fix and Seal All purpose | | |
| Skin Sensitization (test on mixture), skin, In vitro | Not sensitizing (OECD 497) | |
| Germ cell mutagenicity | : Not classified | |
| Carcinogenicity | : Not classified. | |
| Reproductive toxicity | : Not classified | |
| Trimethoxyvinylsilane (2768-02-7) | | |
| NOAEL (animal/male, F0/P) | 1000 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD combined Repeated dose and Reproductive/ developmental Toxicity Screening Test (Precursor Protocol of GL 422) | |
| NOAEL (animal/Female, F0/P) | 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (PrecursorProtocol of GL 422) | |
| dioctylbis(pentane-2,4-dionato-O,O')tin (5406 | 58-28-9) | |
| NOAEL (animal/male, F0/P) | 0,3 – 0,4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline422 (Combined Repeated Dose Toxicity Study with the Reproduction / DevelopmentalToxicity Screening Test) | |
| NOAEL (animal/female, F0/P) | 0,3 – 0,5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) | |
| STOT-single exposure | : Not classified | |
| STOT-Repeated exposure : No | ot classified | |
| dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) | | |
| STOT-single exposure | May cause damage to organs (immune system) (if swallowed). | |
| reaction mass of N,N'-ethane-1,2-diylbis(hexanamide) and 12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamideand N,N'- ethane-1,2-diylbis(12-hydroxyoctadecan amide) | | |
| NOAEL (subacute, oral, animal/male, 28 days) | 1000 mg/kg bodyweight (Literature Study) | |
| dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) | | |
| LOAEC (inhalation, rat, gas, 90 days) | 650 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) | |
| Aspiration hazard | : Not classified | |
| Dolphin Fix and seal All purpose | | |
| Viscosity, kinematic | Not applicable | |
| Aspiration hazard | : Not classified | |

11.2. Information on other hazards

No additional information available

| 12. ECOLOGICAL INFORMATION | | | | |
|--|---|--|--|--|
| 12.1. Toxicity | | | | |
| Ecology – general | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. | | | |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified | | | |
| Hazardous to the aquatic environment, long-term (chronic) Not rapidly degradable | : Not classified | | | |
| bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate (52829-07-9) | | | | |
| LC50 - Fish [1] | 4,4 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value) | | | |



الـــــمكـــرم لــــصـــناعة المـــواد الــــعازلة ذ.م.م Al Muqarram Insulation Material Industry L.L.C. الاسماد الــــعازلة ف.م.م info@muqarram.com ه www.muqarram.com





| ErC50 algae | 0,705 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) | | |
|--|---|--|--|
| NOEC chronic crustacea | 0,23 mg/l (OECD211, 21d, Daphnia Magna, experimental result) | | |
| reaction mass of N,N'-ethane-1,2-diylbis(hexanamide) and 12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamideand N ethane-1,2-diylbis(12-hydroxyoctadecan amide) | | | |
| LC50 - Fish [1] | > 1000 mg/l (Guideline OECD203, 96h, Oncorhynchus mykiss, Static system, Freshwater, Read-across) | | |
| EC50 - Crustacea [1] | > 1000 mg/l (Guideline OECD 202, 48h, Daphnia Magna, Static system, Experimentalvalue) | | |
| EC50 72h - Algae [1] | 85 mg/l (Guideline EPIWIN 3.10, 96h, Algae, Calculated value) | | |
| NOEC chronic crustacea | 0,9 mg/l (Guideline OECD 211, 21d, Daphnia Magna, Semi-static system, Fresh water, Experimental value) | | |
| trimethoxyvinylsilane (2768-02-7) | | | |
| LC50 - Fish [1] | 191 mg/l (96 h, Oncorhynchus mykiss, Fresh water, Experimental value, Nominal concentration) | | |
| EC50 - Crustacea [1] | 168,7 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) | | |
| trimethoxyvinylsilane (2768-02-7) | | | |
| ErC50 algae | > 89 mg/l (72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) | | |
| NOEC chronic algae | 89 mg/l (72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimentalvalue, GLP | | |
| dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) | | | |
| LC50 - Fish [1] | 71,1 mg/l (96 h, Salmo gairdneri, Flow-through system, Fresh water, Experimental value,Nominal concentration) | | |
| EC50 - Crustacea [1] | 47,6 mg/l (48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration) | | |
| EC50 - Other aquatic organisms [1] | 75 mg/l Test organisms (species): other: | | |
| ErC50 algae 32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Staticsystems Fresh water, Experimental value, GLP) | | | |

12.2. Persistence and degradability

| is(2,2,6,6-tetramethyl-4-piperidyl)sebacate (52829-07-9) | | |
|--|----------------------------------|--|
| Persistence and degradability | not readily degradable in water. | |
| reaction mass of N,N'-ethane-1,2-diylbis(hexanamide) and 12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamideand N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan amide) Biodegradation 20 % (OECD 301B: CO2 Evolution Test, 28d, Experimental value) trimethoxyvinylsilane (2768-02-7) Persistence and degradability not readily degradable in water. dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) Persistence and degradability not readily degradable in water. | | |

12.3. Bioaccumulative potential

MSDS

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate (52829-07-9)



الــــمکـــرم لــــصـــناعة المـــواد الـــعازلة ذ.م.م Al Muqarram Insulation Material Industry L.L.C. العاد الـــعازلة ف.م.م info@muqarram.com @ www.muqarram.com

AMI



| Partition coefficient n-octanol/water (Log Pow) | 0,35 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) | |
|---|--|--|
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). | |
| reaction mass of N,N'-ethane-1,2-diylbis(hexanan N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan am | nide) and 12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamideand ide) | |
| Partition coefficient n-octanol/water (Log Kow) | > 6 (EU Method A.8, Experimental value) | |
| Bioaccumulative potential | High potential for bioaccumulation (Log Kow > 5). | |
| trimethoxyvinylsilane (2768-02-7) | | |
| Partition coefficient n-octanol/water (Log Pow) | 1,1 (QSAR, KOWWIN, 20 °C) | |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). | |
| dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) | | |
| Partition coefficient n-octanol/water (Log Pow) | 0,6 (Calculated, 25 °C) | |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). | |

12.4. Mobility in soil

| bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate (52829-07-9) | |
|---|--|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2,89 – 4,2 (log Koc, OECD 106: Adsorption/Desorption Using a Batch Equilibrium Method, Experimental value, GLP) |
| reaction mass of N,N'-ethane-1,2-diylbis(hexanamide) and 12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamidea N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan amide) | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2,28 – 5,63 (OECD 121, Experimental value) |
| Ecology - soil | Adsorbs into the soil. |
| trimethoxyvinylsilane (2768-02-7) | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2,811 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil | Low potential for adsorption in soil. |
| dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9) | |
| Surface tension | 32,3 mN/m (20 °C, 30 mg/l, OECD 115: Surface Tension of Aqueous Solutions) |
| Ecology - soil | No (test)data on mobility of the substance available. |

12.5. Results of PBT and vPvB assessment

| | Component | | |
|---|-------------------------------------|--|--|
| | No additional information available | | |
| 1 | 2.6. Other adverse effects | | |

No additional information available

AMI

MSDS

| 13. DISPOSAL CONSIDERATIONS | |
|-----------------------------------|--|
| 13.1. Waste treatment methods | |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations | : Do not discharge into drains or the environment. |
| Ecology - waste materials | : Avoid release to the environment. |
| European List of Waste (LoW) code | : 08 04 09* - waste adhesives and sealants containing organic solvents or other |

info@muqarram.com

www.muqarram.com



Page 10 of 13



| ANSPORT INFORMA ordance with ADR / I | MDG / IATA / ADN / RI |)/ | | |
|---|-----------------------|---------------|---------------|---------------|
| ADR | IMDG | ΙΑΤΑ | ADN | RID |
| .1. UN number or ID nu | imber | • | · · · | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| .2. UN proper shipping | name | 1 | II | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| .3. Transport hazard cla | ass(es) | I | II | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 4. Packing group | I | I | 11 | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| .5. Environmental haza | rds | 1 | II | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |

14.6. Special precautions for user

Overland transport Not regulated

Transport by sea Not regulated

Air transport Not regulated

Inland waterway transport Not regulated

Rail transport Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for substance or mixture

15.1.1. EU-Regulations

| EU restriction list (REACH | J restriction list (REACH Annex XVII) | | |
|----------------------------|---------------------------------------|--|--|
| Reference code | Applicable on | Entry title or description | |
| 3(a) | trimethoxyvinylsilane | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F | |



الـــــمكـــرم لــــصـــناعة المـــواد الــــعازلة ذ.م.م Al Muqarram Insulation Material Industry L.L.C. MSDS | info@muqarram.com | www.muqarram.com ⊕ www.muqarram.com





| 3(b) | trimethoxyvinylsilane ; N- | Substances or mixtures fulfilling the criteria for any of the following hazard classes or |
|------|-------------------------------|---|
| | (2-aminoethyl)3- | categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, |
| | aminopropyltrimethoxysila | 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other |
| | ne ; dioctylbis(pentane- 2,4- | than narcotic effects, 3.9 and 3.10 |
| | dionato-O,O')tin | |

Contains no substance on the REACH candidate

listContains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the exportand import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing anduse of explosives precursors.

VOC content

: <1%

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

| 16. OTHER INFORMATION | N |
|------------------------------|---|
|------------------------------|---|

| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
|---------|---|
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BLV | Biological limit value |
| CAS-No. | Chemical Abstract Service number |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Median effective concentration |
| EC-No. | European Community number |
| EN | European Standard |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |



Head Office الــــمكـــرم لـــصـــناعة المـــواد الـــعازلة ذ.م.م

💡 P.O. Box 24756, Sharjah, U.A.E. 🌜 +971 6 535 3796 Al Muqarram Insulation Material Industry L.L.C. 📼 info@muqarram.com 🖲 www.muqarram.com

www.muqarram.com



Т



| NOEC | No-Observed Effect Concentration | |
|-------|---|--|
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| SDS | Safety Data Sheet | |
| vPvB | Very Persistent and Very Bioaccumulative | |
| WGK | Water Hazard Class | |

| Full text of H- and EUH-statements: | | |
|-------------------------------------|--|--|
| Acute Tox. 4 (Inhalation:vapour) | Acute toxicity (inhalation:vapour) Category 4 | |
| Aquatic Chronic 4 | Hazardous to the aquatic environment – Chronic Hazard, Category 4 | |
| Asp. Tox. 1 | Aspiration hazard, Category 1 | |
| EUH210 | Safety data sheet available on request. | |
| EUH212 | Warning! Hazardous respirable dust may be formed when used. Do not breathe dust. (Except forblack/brown/transparent product) | |
| Flam. Liq. 3 | Flammable liquids, Category 3 | |
| H226 | Flammable liquid and vapour. | |
| H304 | May be fatal if swallowed and enters airways. | |
| H317 | May cause an allergic skin reaction. | |
| H332 | Harmful if inhaled. | |
| H413 | May cause long lasting harmful effects to aquatic life. | |
| Skin Sens. 1B | Skin sensitisation, category 1B | |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



