



MATERIAL SAFETY DATA SHEET

DOLPHIN 30-36 AF

Revision Date: 13th Aug 2024 Revision No. 03 Number of Pages: 04

1. PRODUCT AND COMPANY IDENTIFICATION

Product Details

: **DOLPHIN 30-36 AF Product Name** Product Code : AMI 30-36 AF

Recommended Use : Antifungal HVAC Canvas Coating

Company Details

Company Name : Al Mugarram Insulation Materials Industry L.L.C.

Address : Industrial Area # 15, Post Box No. 24756, Sharjah, United Arab Emirates

Phone Number : +971 (6) 5353796 Fax No. : +971 (6) 5353964 E-mail ID : info@muqarram.com Website : www.muqarram.com

Emergency Telephone Number: 00971-549981925

2. HAZARDS IDENTIFICATION

Information pertaining to dangers for man and environment

Safe water-based product.

Avoid contact with skin or eyes.

Harmful if inhaled or swallowed.

Inhalation of vapor or mist should be avoided. Symptoms include coughing, wheezing, laryngitis, and shortness of breath, headache, nausea, and vomiting.

his material is non-corrosive to all body tissues.

Ingestion causes nausea, vomiting, and loss of consciousness.

3. COMPOSITION/INFORMATION ON INGREDIENT

| CAS No. | %W | CHEMICAL NAME |
|------------|---------|--------------------|
| 7732-18-5 | 10 – 40 | Water |
| 471-34-1 | 15 – 50 | Calcium Carbonate |
| 14808-60-7 | 05 – 15 | Crystalline Silica |
| 13463-67-7 | 02 – 10 | Titanium Dioxide |

4. FIRST AID MEASURES

Inhalation : Move victim to fresh air and if needed, immediately begin artificial respiration. Give

oxygen if breathing is labored. Get emergency medical help. Contact a physician

immediately.

AMI MSDS info@muqarram.com Page 1 of 4 www.muqarram.com









Skin Contact : Flush with water or soap and water for 15 minutes or until all traces have been

removed. Seek medical attention if symptoms develop and persist.

Eye Contact : Flush eyes with water for 15 minutes. Get medical attention

: Do not induce vomiting. Rinse mouth out with water. Get immediate medical attention. Ingestion

: Treatment is symptomatic.

FIRE FIGHTING MEASURES

Media suitable for Extinguishing

Special exposure hazards arising from the substance or preparation itself, its

combustion product, or eleased gases

Special protective equipment or firefighters

Further information

Note to Physician

: Use Dry powder, Carbon Dioxide (CO2), water fog or spray

: In the event of fire, the following can be released: Smoke, irritating vapor, Carbon

Monoxide (CO) and Carbon Dioxide (CO2).

: Wear self-contained breathing apparatus and protective suit.

: In the event of fire, Approach fire from upwind side. Avoid breathing smoke, fumes,

mist, or vapors on the downwind side.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions : Ensure adequate ventilation. If TLV is exceeded wear NIOSH approved respirator.

Use heavy rubber type gloves, full-face shield and boots, aprons. Drench showers and

Eye wash as needed for protection against spills and/or splashes.

Environment precautions : Do not discharge into drains / surface water / groundwater.

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, sawdust). Collect spilled materials in

suitable containers and dispose of according to Section 13.

HANDLING AND STORAGE

Precautions for Safe Handling : Avoid contact with skin, eyes, and clothing. After handling this product, wash hands

> before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown in section 4. Launder contaminated clothing

before reuse.

Proper Storage Condition : Store in a cool, dry, ventilated location. Keep away from heat, sparks, flame, and other

sources of ignition. Keep container closed.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure controls : Avoid contact with skin and eyes. Do not breathe vapors. Avoid repeated exposure.

> Wear suitable protective equipment. Hold eye wash fountain available. Hold emergency shower available. Remove soiled or soaked clothing immediately. Clean

skin thoroughly after work.

At work do not eat, drink, smoke or take drugs. Keep away from food, drink, and animal

feeding stuffs. Keep and wash working clothes separately.

Engineering Controls : Proper ventilation is recommended for controlling exposures.

Local exhaust is preferred.

Respiratory Protection : Use appropriate respirator unless local exhaust ventilation is sufficient.

Hand Protection : Rubber type gloves.

Eve Protection : If risk of splashing, wear safety goggles with side shields.

Other Protective Equipment : Wear suitable protective clothing such as aprons against splashing and contamination.

MSDS Page 2 of 4 info@mugarram.com www.muqarram.com





AMI



PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: Paste Form Color : White

Properties

Odor : Mild Specific Gravity @ 25°C : 1.38 - 1.46

Viscosity : 35000 + 1000 cPs (@ 25°C)

Solid (%) : 68 + 2

Boiling Point (°C) : Not established **Melting Point** : Not established **Evaporation Rate** : Not established : Not established **Flash Point** : Not established **Auto Ignition Temperature** : Not established Vapor Pressure **Vapor Density** : Not established

10. STABILITY AND REACTIVITY

Stability : Stable under normal temperature conditions.

Material to avoid : High Temperatures

Hazardous decomposition products : Upon combustion, Smoke, Irritating vapor, Carbon Monoxide and Carbon Dioxide

are formed.

11. TOXICOLOGICAL INFORMATION

: LD50/LC50 **CHEMICAL NAME**

: Acute oral toxicity (LD50): 6450 mg/kg Calcium Carbonate, (rat)

12. ECOLOGICAL INFORMATION

Eco-toxicity : No data available. Mobility : No data available. Persistence / Degradability : No data available. **Bio-accumulative potential** : No data available. Other adverse effects : No data available.

13. DISPOSAL CONSIDERATIONS

Product (Recommendation) : The product is not classified as a hazardous waste. The product can be coagulated

and separated from the aqueous phase for landfill or incineration.

Used packaging (Recommendation) : Wash empty packaging. They can be reuse after thorough and proper cleaning.

Cleaning agent (Recommendation) : Water

14. TRANSPORT INFORMATION

Proper Shipping Name : Adhesive, Noncorrosive liquid, alkaline, inorganic

DOT Emergency Guide No : 154

AMI MSDS Page 3 of 4 info@muqarram.com www.mugarram.com







15. REGULATORY INFORMATION

Risk Phrases : Not Classified

Safety Phrases : Wear suitable protective clothing, gloves and eye/face protection.

Chemical Safety Assessment : A chemical safety assessment has not been carried out.

16. OTHER INFORMATION

General Information

This product should be used as directed. For further information, please consult product data sheets and application information bulletin for this product.

Further Information

The information contained herein is based on the present state of our knowledge. It characterizes the product regarding the appropriate health and safety precaution, and hazard information. It does not represent a guarantee of the properties of product.

Revision Comments

This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is correct.



AMI | MSDS | info@muqarram.com | www.muqarram.com Page 4 of 4