



MATERIAL SAFETY DATA SHEET

DOLPHIN AQUAFIX WATERPROOF		
Revision No. 03	Number of Pages: 04	
TIDENTIFICATION		
: DOLPHIN AQUAFIX WATERPROOF : AMI Aquafix Waterproof : Waterproofing		
Company DetailsCompany Name: Al Muqarram Insulation Materials Industry L.L.C.Address: Industrial Area # 15, Post Box No. 24756, Sharjah, United Arab EmiratesPhone Number: +971 (6) 5353796Fax No.: +971 (6) 5353964E-mail ID: info@muqarram.comWebsite: www.mugarram.com		
	Revision No. 03	

Emergency Telephone Number: 00971-549981925

2. HAZARDS IDENTIFICATION

Information pertaining to dangers for man and environment

Safe water-based product.

Avoid contact with skin or eyes.

Harmful if inhaled or swallowed.

Inhalation of vapor or mist should be avoided. Symptoms include coughing, wheezing, laryngitis, and shortness of breath, headache, nausea, and vomiting.

his material is non-corrosive to all body tissues.

Ingestion causes nausea, vomiting, and loss of consciousness.

3. COMPOSITION/INFORMATION ON INGREDIENT

info@muqarram.com

CAS No.	%W	CHEMICAL NAME
7732-18-5	10 - 40	Water
471-34-1	15 – 50	Calcium Carbonate
14808-60-7	05 – 15	Crystalline Silica
13463-67-7	02 – 10	Titanium Dioxide

4. FIRST AID MEASURES

Inhalation : Move victim to fresh air and if needed, immediately begin artificial respiration. Giv	
	oxygen if breathing is labored. Get emergency medical help. Contact a physician
	immediately.

www.muqarram.com

AMI

P.O. Box 24756, Sharjah, U.A.E. ↓ +971 6 535 3796
 info@muqarram.com www.muqarram.com

MSDS







الـــــمكــــرم لــــصـــناعة المــــواد الــــعازلة ذ.م.م Al Muqarram Insulation Material Industry L.L.C.

Skin Contact	: Flush with water or soap and water for 15 minutes or until all traces have been
	removed. Seek medical attention if symptoms develop and persist.
Eye Contact	: Flush eyes with water for 15 minutes. Get medical attention
Ingestion	: Do not induce vomiting. Rinse mouth out with water. Get immediate medical attention.
Note to Physician	: Treatment is symptomatic.

5. FIRE FIGHTING MEASURES

Media suitable for Extinguishing Special exposure hazards arising from the substance or preparation itself, its combustion product, or eleased gases	 : Use Dry powder, Carbon Dioxide (CO2), water fog or spray : In the event of fire, the following can be released: Smoke, irritating vapor, Carbon Monoxide (CO) and Carbon Dioxide (CO2).
Special protective equipment or firefighters	 Wear self-contained breathing apparatus and protective suit. In the event of fire, Approach fire from upwind side. Avoid breathing smoke, fumes,
Further information	mist, or vapors on the downwind side.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	: Ensure adequate ventilation. If TLV is exceeded wear NIOSH approved respirator. Use heavy rubber type gloves, full-face shield and boots, aprons. Drench showers and Eye wash as needed for protection against spills and/or splashes.	
Environment precautions	: Do not discharge into drains / surface water / groundwater.	
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, sawdust). Collect spilled materials in suitable containers and dispose of according to Section 13.	

7. HANDLING AND STORAGE

Precautions for Safe Handling	: Avoid contact with skin, eyes, and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing.
	If needed, take first aid action shown in section 4. Launder contaminated clothing before reuse.
Proper Storage Condition	: Store in a cool, dry, ventilated location. Keep away from heat, sparks, flame, and other sources of ignition. Keep container closed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

info@muqarram.com

Occupational exposure controls	: Avoid contact with skin and eyes. Do not breathe vapors. Avoid repeated exposure. Wear suitable protective equipment. Hold eye wash fountain available. Hold emergency shower available. Remove soiled or soaked clothing immediately. Clean skin thoroughly after work.
	At work do not eat, drink, smoke or take drugs. Keep away from food, drink, and animal feeding stuffs. Keep and wash working clothes separately.
Engineering Controls	: Proper ventilation is recommended for controlling exposures. Local exhaust is preferred.
Respiratory Protection	: Use appropriate respirator unless local exhaust ventilation is sufficient.
Hand Protection	: Rubber type gloves.
Eye Protection	: If risk of splashing, wear safety goggles with side shields.
Other Protective Equipment	: Wear suitable protective clothing such as aprons against splashing and contamination.

AMI

MSDS Head Office

የ P.O. Box 24756, Sharjah, U.A.E. 🌜 +971 6 535 3796 ≤ info@muqarram.com ⊕ www.muqarram.com

www.muqarram.com

Page 2 of 4 AN ISO CERTIFIED COMPANY منع في الإمارات MADE IN UAE PRODUCT





9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Form	: Paste
Color	: White
Properties	
Odor	: Mild
Specific Gravity @ 25°C	: 1.38 – 1.46
Viscosity	: 35000 <u>+</u> 1000 cPs (@ 25°C)
Solid (%)	: 68 <u>+</u> 2
Boiling Point (°C)	: Not established
Melting Point	: Not established
Evaporation Rate	: Not established
Flash Point	: Not established
Auto Ignition Temperature	: Not established
Vapor Pressure	: Not established
Vapor Density	: Not established

10. STABILITY AND REACTIVITY

Stability Material to avoid Hazardous decomposition products : Stable under normal temperature conditions.

- : High Temperatures
- : Upon combustion, Smoke, Irritating vapor, Carbon Monoxide and Carbon Dioxide are formed.

11. TOXICOLOGICAL INFORMATION

CHEMICAL NAME Calcium Carbonate, (rat) : LD50/LC50 : Acute oral toxicity (LD50): 6450 mg/kg

12. ECOLOGICAL INFORMATION

Eco-toxicity Mobility Persistence / Degradability Bio-accumulative potential Other adverse effects

- : No data available.

13. DISPOSAL CONSIDERATIONS

Product (Recommendation)

: The product is not classified as a hazardous waste. The product can be coagulated and separated from the aqueous phase for landfill or incineration.

Used packaging (Recommendation) Cleaning agent (Recommendation) separated from the aqueous phase for landfill or incineration. : Wash empty packaging. They can be reuse after thorough and proper cleaning. : Water

14. TRANSPORT INFORMATION

info@muqarram.com

Proper Shipping Name DOT Emergency Guide No

MSDS

: Adhesive, Noncorrosive liquid, alkaline, inorganic : 154

www.mugarram.com

AMI

Head Office

♀ P.O. Box 24756, Sharjah, U.A.E.
 ↓ +971 6 535 3796
 ☑ info@muqarram.com ⊕ www.muqarram.com

Page 3 of 4 AN ISO CERTIFIED COMPANY







15. REGULATORY INFORMATION

Risk Phrases Safety Phrases Chemical Safety Assessment : Not Classified

: Wear suitable protective clothing, gloves and eye/face protection.

: A chemical safety assessment has not been carried out.

16. OTHER INFORMATION

General Information

This product should be used as directed. For further information, please consult product data sheets and application information bulletin for this product.

Further Information

The information contained herein is based on the present state of our knowledge. It characterizes the product regarding the appropriate health and safety precaution, and hazard information. It does not represent a guarantee of the properties of product.

Revision Comments

This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is correct.