



MATERIAL SAFETY DATA SHEET

DOLPHIN FLOOR ADHESIVE

Revision Date: 9th March 2021 Revision No. 02 Number of Pages: 04

1. PRODUCT AND COMPANY IDENTIFICATION

Product Details

Product Name : DOLPHIN FLOOR ADHESIVE
Product Code : AMI Floor Adhesive
Recommended Use : Floor Adhesive/Glue

Company Details

Company Name : Al Mugarram Insulation Materials Industry L.L.C.

Address : Industrial Area # 15, Post Box No. 24756, Sharjah, United Arab Emirates

 Phone Number
 : +971 (6) 5353796

 Fax No.
 : +971 (6) 5353964

 E-mail ID
 : info@muqarram.com

 Website
 : www.muqarram.com

Emergency Telephone Number: 00971-549981925

2. HAZARDS IDENTIFICATION

Information pertaining to dangers for man and environment

Safe water-based product.

Avoid contact with skin or eyes.

Harmful if inhaled or swallowed.

Inhalation of vapor or mist should be avoided. Symptoms include coughing, wheezing, laryngitis, and shortness of breath, headache, nausea, and vomiting

The material is non-corrosive to all body tissues.

Ingestion causes nausea, vomiting, and loss of consciousness.

3. COMPOSITION/INFORMATION ON INGREDIENT

CAS No.	%W	CHEMICAL NAME
8050-31-5	20 – 30	Ester Resin
7732-18-5	10 – 40	Water
471-34-1	20 – 60	Calcium Carbonate
1336-21-6	10 - 15	Ammonium Hydroxide

4. FIRST AID MEASURES

Inhalation: Move to fresh air. Restore breathing, if necessary. Call a physician if symptoms persist.Skin Contact: Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

AMI | MSDS | info@muqarram.com | www.muqarram.com Page 1 of 4



Head Office





Eye Contact : Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids

often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.

Ingestion : Do not induce vomiting and seek medical attention immediately. Drink two glasses of

water or milk to dilute. Do not give anything by mouth to an unconscious person. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into

the lungs potentially causing chemical pneumonitis that may be fatal.

Note to Physician : Treatment is symptomatic.

5. FIRE FIGHTING MEASURES

Media suitable for Extinguishing : Use Dry powder, Carbon Dioxide (CO2), water fog or spray.

Special exposure hazards arising from the : In the event of fire, the following can be released:

substance or preparation itself, its Smoke, irritating vapor, Carbon combustion product, or released gases Monoxide (CO) and Carbon Dioxide (CO2)

Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.

Further information : In the event of fire, Approach fire from upwind side. Avoid breathing smoke, fumes,

mist, or vapors on the downwind side.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear personal protective equipment; Ensure adequate ventilation. **Environment precautions**: Do not discharge into drains / surface water / groundwater.

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, sawdust).

Collect spilled materials in suitable containers and dispose of according to Section 13.

7. HANDLING AND STORAGE

Precautions for Safe Handling : Avoid contact with skin, eyes, and clothing. After handling this product, wash hands

before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown in section 4. Launder contaminated clothing before

reuse

Proper Storage Condition : Store in a cool, dry, ventilated location. Keep away from heat, sparks, flame, and other

sources of ignition. Keep container closed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure controls : Avoid contact with skin and eyes. Do not breathe vapors. Avoid repeated exposure. Wear

suitable protective equipment. Hold eye wash fountain available. Hold emergency shower available. Remove soiled or soaked clothing immediately. Clean skin thoroughly after work. At work do not eat, drink, smoke or take drugs. Keep away from food, drink, and animal

feeding stuffs. Keep and wash working clothes separately

Engineering Controls : Proper ventilation is recommended for controlling exposures. Local exhaust is preferred.

Respiratory Protection : Use appropriate respirator unless local exhaust ventilation is sufficient.

Hand Protection : Latex gloves.

Eye Protection : If risk of splashing, wear safety goggles with side shields.

Other Protective Equipment : Wear suitable protective clothing such as aprons against splashing and Contamination.

Page 2 of 4



AMI



PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form : Paste Color : Cream

Properties

Odor : 1.20 + 0.15

Specific Gravity @ 25°C : 20000 - 40000 cPs (@ 25°C)

Viscosity : 70 + 5 Solid (%) : Not established **Boiling Point (°C)** : Not established **Melting Point** : Not established

Evaporation Rate :<10°C

Flash Point : Not established : Not established **Auto Ignition Temperature Vapor Pressure** : Not established **Vapor Density** : 1.20 + 0.15

10. STABILITY AND REACTIVITY

Stability : Stable under normal temperature conditions.

Prohibited condition : Keep away from heat sources

Hazardous decomposition Product : Upon combustion Carbon Monoxide and Carbon Dioxide are formed

11. TOXICOLOGICAL INFORMATION

Chemical name : LD₅₀/LC₅₀

Ester Resin, (rat) : LD₅₀- >2000 mg/kg

LC₅₀- 2500 mg/kg (90d)

Calcium Carbonate, (rat) : Acute oral toxicity (LD₅₀): 6450 mg/kg

12. ECOLOGICAL INFORMATION

Eco-toxicity : No data available Mobility : No data available Persistence / Degradability : No data available **Bio-accumulative potential** : No data available Other adverse effects : No data available

13. DISPOSAL CONSIDERATIONS

Product (Recommendation) : The product is not classified as a hazardous waste. The product can be coagulated and

separated from the aqueous phase for landfill or incineration.

Used packaging (Recommendation) : Wash empty packaging. They can be reuse after thorough and proper cleaning.

Cleaning agent (Recommendation) : Water

14. TRANSPORT INFORMATION

Proper Shipping Name : Adhesive, Non corrosive liquid, alkaline, inorganic

DOT Emergency Guide No : 154

MSDS info@muqarram.com Page 3 of 4 AMI www.muqarram.com









15. REGULATORY INFORMATION

Risk Phrases : Not Classified

Safety Phrases : Wear suitable protective clothing, gloves, and eye/face protection.

Chemical Safety Assessment : A chemical safety assessment has not been carried out.

16. OTHER INFORMATION

General Information

This product should be used as directed. For further information, please consult product data sheets and application information bulletin for this product.

Further Information

The information contained herein is based on the present state of our knowledge. It characterizes the product regarding the appropriate health and safety precaution, and hazard information. It does not represent a guarantee of the properties of product.

Revision Comments

This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is correct.



