



MATERIAL SAFETY DATA SHEET

DOLPHIN Duct Acrylic Sealant

Revision Date: 9th March, 2021 Revision No. 2 Number of Pages: 4

1. PRODUCT AND COMPANY IDENTIFICATION

Product Details

: Dolphin Duct Acrylic Sealant **Product Name**

: AMI Duct Acrylic Product Code

: Sealant **Recommended Use**

Company Details

Company Name : Al Mugarram Insulation Materials Industry L.L.C.

Address : Industrial Area # 15, Post Box No. 24756

Sharjah, United Arab Emirates

Phone Number : +971 (6) 5353796 Fax No. : +971 (6) 5353964

E-mail ID : info@muqarram.com, sales@muqarram.com

Website : www.muqarram.com

Emergency Telephone Number: 00971-549981925

2. HAZARDS IDENTIFICATION

Emergency Overview : May cause skin, eye, and respiratory tract irritation.

Hazard Classification : Non-hazardous substance or mixture. Non-dangerous goods.

Precautionary Statements:

Prevention : Avoid contact with skin and eyes. Avoid breathing vapors. Use personal protective equipment as

required.

Response If inhaled : Remove person to fresh air and keep comfortable for breathing.

> If on skin : Wash with plenty of soap and water.

Disposal : Dispose contents/container to an appropriate treatment and disposal facility accordance with

applicable laws and regulations.

3. COMPOSITION/INFORMATION ON INGREDIENT

CAS No.	%W	CHEMICAL NAME
1317-65-3	60 – 70	Calcium Carbonate
25085-34-1	30 – 40	Acrylic Emulsion
117-81-7	4-8	Plasticizer
63625-56-9	1-5	Monopropylene glycol
64742-82-1	1-5	White Mineral Oil

MSDS AMI info@muqarram.com Page 1 of 4 www.mugarram.com







4. FIRST AID MEASURES

Inhalation : Move the victim to fresh air. Get medical attention if any discomfort continues.

Skin Contact : Wash skin thoroughly with soap and water. Get medical advice/attention if skin irritation persists. **Eye Contact** : Wash immediately with plenty of running water. Get medical advice/attention if eye irritation

: Do not induce vomiting. Rinse mouth. Give the victim 1-2 glasses of water. Get immediate medical Ingestion

attention.

Note to Physician : Treatment is symptomatic.

FIRE FIGHTING MEASURES

General Fire Hazards : This product is not flammable. No unusual fire hazards noted.

Suitable Extinguishing Media : CO₂ foam and dry chemical powder. Use suitable fire extinguishing media for surrounding

materials.

Unsuitable Extinguishing Media

Specific Hazards arriving from the

Mixture

Firefighting Procedures

: Do not use water jet as an extinguisher. : During fire, carbon monoxide (CO), carbon dioxide (CO₂) and nitrogen oxides (NOx) can be

released.

: Self-contained breathing apparatus should be worn with full face mask and protective clothing.

: Do not let product to enter water sources, sewers and drains. Notify authorities in the event of

: Wipe, scrape or absorb the spillage with suitable inert material. Avoid contact with skin or

ACCIDENTAL RELEASE MEASURES

Personal precautions, protective

equipment, and emergency procedures

Environment precautions

Procedures

Containment and Clean Up

inhalation of spillage or vapor. Remove to safe space as spillage of uncured product may cause slippery surface. Wash the floor with plenty of water. Do not empty into drains. Transfer to a closed container for disposal. Wear protective equipment as specified in Section 8.

: Avoid contact with skin and eyes. Ensure adequate ventilation.

major spillages in accordance with local regulations.

Prevention of Second Disaster : Absorbed waste maybe disposed as per local government regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling : Use only with adequate ventilation. Product releases acetic acid during application and curing.

> Avoid skin and eye contact. Remove contact lenses before applying sealant. Do not handle lenses until fingers and hands are completely free from sealant. Keep containers/cartridges tightly closed when not in use. Keep out of reach of children. See Section 8 for Personal Protective

Equipment.

Proper Storage Condition : Store the materials in tightly closed in the original packaging and stored in a dry, well-ventilated

area at a stable room temperature of 25°C. Keep away from exposure to direct sunlight, dust,

moisture, corrosive and solvent fumes and vapors.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls : Proper ventilation is recommended for controlling exposures. Local exhaust is preferred.

Respiratory Protection : Use appropriate respirator unless local exhaust ventilation is sufficient. **Hand Protection** : Wear impermeable chemical protective gloves while handling this material.

Eye Protection : If risk of splashing, wear safety goggles with side shields.

Other Protective Equipment : Wear suitable protective clothing such as aprons against splashing and contamination.

> Page 2 of 4 AN ISO CERTIFIED COMPANY





AMI

MSDS



Work/Hygienic Practices

: When using, do not eat, drink, or smoke. Wash at the end of each work shift and before eating. Wash hands thoroughly after handling. Contaminated shoes and clothing should be removed after handling and washed thoroughly before reuse.

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Form : Non-sag paste Color : White, Grey, etc.

PROPERTIES

Odor : Acrylic color рΗ : Not determined Specific Gravity @ 25°C : 1.68 <u>+</u> 0.02 **Boiling Point (°C)** : Not determined **Melting Point** : Not determined **Evaporation Rate** : Not established **Flash Point** : Not established Solubility in Water @ 25ºC : Soluble in water

Shelf Life : 24 months at ambient temperature

10. STABILITY AND REACTIVITY

: Stable under normal temperature conditions. Stability Reactivity : Polymerizes in the presence of water or moisture.

Prohibited Condition : Avoid excessive heat for prolonged periods of time or contamination.

Incompatible Materials : Can react with strong oxidizing agents (e.g., nitric acid, peroxides & chromates). Alcohols. Alkalis.

Strong acids.

Hazardous Thermal : Thermal decomposition of this product during fire or extremely high temperature may liberate

Decomposition Product : Carbon dioxides and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Possible Health Effects

Acute

Skin : May cause mild irritation.

: Direct contact may cause mild irritation. Eve

Inhalation : May cause mild irritation to respiratory passages. Ingestion : Not an anticipated route of exposure at normal use.

Chronic

Skin : No data available. : No data available. Eve Inhalation : No data available. Ingestion : No data available.

12. ECOLOGICAL INFORMATION

Mobility : Cured materials are not mobile. **Bioaccumulative Property** : Does not bioaccumulate.

Ecotoxicity : No adverse effects on aquatic organisms are predicted. Do not empty into drains and water

sources.

AMI MSDS Page 3 of 4 info@muqarram.com www.mugarram.com







13. DISPOSAL CONSIDERATIONS

Product Disposal : Dispose waste at an appropriate treatment and disposal facility in accordance with local and

national regulations.

Disposal of Un-cleaned Packages : After use, tubes and bottles containing residue of product should be disposed of as chemically

contaminated waste according to local and national regulations.

14. TRANSPORT INFORMATION

UN Number : Not applicable.

IATA Classification : Not regulated.

IMDG Classification : Not regulated.

Special Precaution Recarried : None.

Packing Group: Not applicable.Class: Not applicable.Proper Shipping Name: Not applicable.

15. REGULATORY INFORMATION

Risk Phrases : Not Classified

Safety Phrases : Wear suitable protective clothing, gloves, and eye/face protection.

Chemical Safety Assessment : A chemical safety assessment has not been carried out.

16. OTHER INFORMATION

General Information : This product should be used as directed. For further information, please consult product data

sheets and application information bulletin for this product.

Further Information: The information contained herein is based on the present state of our knowledge. It

characterizes the product about the appropriate health and safety precaution, and hazard

information. It does not represent a guarantee of the properties of product.

Revision comments : This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is

correct.



