

AN ISO CERTIFIED COMPANY

منعفى الإمارات MADE IN UAE



MATERIAL SAFETY DATA SHEET

DOLPHIN POWERBOND	EPOXY ULTRA STRONG ADH	IESIVE - CLEAR	
Revision Date: 19 th Feb 2024	Revision No. 00	Number of Pages: 6	
1. PRODUCT AND COM	PANY IDENTIFICATION		
Product Details	Delekie Dewerkend Freene Uke	- Strong Adhasing Class	
Product Name	: Dolphin Powerbond Epoxy Ultra Strong Adhesive - Clear		
Product Code	: AMI Epoxy Syringe		
Recommended Use	: ADHESIVE		

Recommended Use	
Company Details	
Company Name	
Address	
Phone Number	
Fax No.	

: Al Mugarram Industry L.L.C. : Etihad Street, Modern Industrial Area, Umm al Thaoob Post Box No. 24756, Umm Al Quwain, United Arab Emirates : +971 (6) 5353796 : +971 (6) 5353964 : info@muqarram.com : www.mugarram.com

Emergency Telephone Number: 00971-549981925

2. HAZARDS IDENTIFICATION

GHS Classification

E-mail ID

Website

: Skin irritation, category 2 Eye irritation, category 2A Skin sensitization, category 1

Label Elements Pictogram

: Hazard

: ADHESIVE

Signal Word

H315	: H315 Causes skin irritation			
H319	: H319 Causes serious eye irritation			
H317	: H317 May cause an allergic skin reaction			
Precautionary Statements				
P264	: Wash skin and eyes thoroughly after handling			
P280	: Wear protective gloves/protective clothing/eye protection/face protection			
P261	: Avoid breathing dust/fume/gas/mist/vapours/spray			
P272	: Contaminated work clothing should not be allowed out of the workplace			
P321	: Specific treatment (see supplemental first aid instructions on this label)			
P362	: Take off contaminated clothing and wash before reuse			
P302 + P352	: If on skin, Wash with plenty of soap and water	: If on skin, Wash with plenty of soap and water		
P332+P313	: If skin irritation occurs, get medical advice/attention			
P305+P351+P338	: If in eyes, rinse cautiously with water for several minutes. Remove contact le present and easy to do. Continue rinsing	enses, if		
P337+P313	: If eye irritation persists get medical advice/attention			
P501	: Dispose of contents/container in accordance with local regulations			
Hazards not otherwise classified	: None			

የ P.O. Box 24756, Sharjah, U.A.E. 🌜 +971 6 535 3796

🐱 info@muqarram.com 🙂 www.muqarram.com





الـــــمكــــرم لــــصــــناعة المــــواد الــــعازلة ذ.م.م منتخب

3. COMPOSITION/INFORMATION ON INGREDIENT

General Chemical Description Part A

Fait A		
CAS #	Wt. %	Chemical Name
3101-60-8	<5	P-tert-butylphenyl 1-(2,3-epoxy) propyl ether
25068-38-6	<98	Epoxy Resin

Additional Information

Part B

For the wording of the listed hazard phrases refer to section 16.

CAS #	Wt. %	Chemical Name
112-24-3	<5	Amine # 1
100-51-6	<2	Liquid additive # 1
72244-98-5	<90	Curing agent
140-31-8	<5	Amine # 2
25620-58-0	<5	Amine # 3
39423-51-3	<5	Amine # 4
3033-62-3	<1	Amine # 5
919-30-2	<2	Liquid additive # 2

4. FIRST AID MEASURES

After inhalation	: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stable inside position for transportation
After skin contact	: Immediately wash with water and soap and rinse thoroughly.
After eye contact	: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor
After swallowing	: Do not induce vomiting; call for medical help immediately

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available

FIRE FIGHTING MEASURES 5. Suitable Extinguishing Media : Use fire extinguishing methods suitable to surrounding conditions Special hazards arising from the substance or : No further relevant information available mixture Fire - Advice for Firefighters, protective : No special measures required equipment AMI MSDS info@muqarram.com Page 2 of 7 www.muqarram.com

Head Office የ P.O. Box 24756, Sharjah, U.A.E. 🌜 +971 6 535 3796 🐱 info@muqarram.com 🙂 www.muqarram.com





AN ISO CERTIFIED COMPANY

PRODUCT

منعفى الإمارات MADE IN UAE



الـــــمكــــرم لــــصـــناعة المــــواد الــــعازلة ذ.م.م Al Muqarram Insulation Material Industry L.L.C.

Personal precautions, protective equipment and emergency procedures	: Wear protective equipment. Keep unprotected persons away
Environmental Precautions	: Do not allow to enter sewers/ surface or ground water
Methods and material for containment and cleaning up	: Absorb with liquid-binding material (sand, diatomite, and acid binders, universal Binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation
Reference to other sections	: See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information

Precautions for Safe Handling Information about fire - and explosion protection	: Ensure well ventilation areas Prevent formation of aerosols. : No special measures required
Conditions for safe storage, including any inco	mpatibilities
Requirements to be met by storerooms and receptacles	: No special requirements
Information about storage in one common storage facility	: Not required
Further information about storage conditions	: Keep receptacle tightly sealed
Specific end use(s)	: No further relevant information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters Ingredients with limit values that require monitoring at the workplace Additional information	: The product does not contain any relevant quantities of materials with critical that have to be monitored at the workplace : The lists valid during the making were used as basis	values
8.2 Exposure Controls		
General protective and hygienic measures	: The usual precautionary measures are to be adhered to when handling chemi away from foodstuffs, beverages, and feed. Immediately remove all soiled an contaminated clothing Wash hands before breaks and at the end of work. Do gases / fumes / aerosols. Avoid contact with the eyes and skin	d
Respiratory protection	: Not required	
Protection of hands	: Protective gloves The glove material must be impermeable and resistant to the product/ the su the preparation. Due to missing tests no recommendation to the glove mater given for the product/ the preparation/ the chemical mixture. Selection of the material on consideration of the penetration times, rates of diffusion and the degradation	ial can be e glove
	Material of gloves The selection of the suitable gloves does not only depend on the material, bu further marks of quality and varies from manufacturer to manufacturer. As th is a preparation of several substances, the resistance of the glove material can calculated in advance and has therefore to be checked prior to the application	e product nnot be
AMI MSDS info@muqarram.com	www.muqarram.com	Page 3 of 7

Head Office

የ P.O. Box 24756, Sharjah, U.A.E. 🌜 +971 6 535 3796 🐱 info@muqarram.com 🕲 www.muqarram.com





الـــــمكــــرم لــــصـــناعة المــــواد الــــعازلة ذ.م.م Al Muqarram Insulation Material Industry L.L.C.

Penetration time of glove material

The exact break through time must be found out by the manufacturer of the protective gloves and must be observed

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable **PVC or PE gloves**

Eye protection: Tightly sealed goggles

Body protection:

Use protective suit

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemi General Information	cal properties
Appearance	-1 1
Form	: Fluid
Colour	: Clear
Odour	: Characteristic
Odour threshold	: Not determined
pH-value	: Not determined
Change in condition	
Melting point/Melting range	: Undetermined
Boiling point/Boiling range	: Undetermined
Flash point	: > 100 °C
Flammability (solid, gaseous)	: Not applicable
Ignition temperature:	
Decomposition temperature	: Not determined
Self-igniting	: Product is not self-igniting
Danger of explosion	: Product does not present an explosion hazard
Explosion Limits	
Lower	: Not determined
Upper	: Not determined
Vapour Pressure	: Not determined
Density at 20 °C	: 1.6 g/cm ³
Relative density	: Not determined
Vapour density	: Not determined
Evaporation rate	: Not determined
Solubility in/miscibility with water	: Not miscible or difficult to mix
Partition coefficient (n-octanol/water)	: Not determined
Viscosity	
Dynamic at 20 °C	: Not determined
Kinematic	: Not determined
Solids Content	: 100.0%
9.2 Other information	

No further relevant information available.

10. STABILITY AND REACTIVITY

	ctivity				: No	further relevant information available	
	rmal d	Stability lecompos	ition/	conditions to be	: No	decomposition if used according to specifications	
Possibility of hazardous reactions		: No	dangerous reactions known				
АМІ		MSDS	I	info@muqarram.com		www.muqarram.com	Page 4 of 7

Head Office

የ P.O. Box 24756, Sharjah, U.A.E. 🌜 +971 6 535 3796 🐱 info@muqarram.com 🕲 www.muqarram.com







الـــــمكــــرم لــــصـــناعة المـــواد الــــعازلة ذ.م.م Al Muqarram Insulation Material Industry L.L.C.

Conditions to avoid Incompatible Materials Hazardous decomposition products

: No further relevant information available : No further relevant information available : None known

11. TOXICOLOGICAL INFORMATION

Acute Toxicity	: Based on available data, the classification criteria are not met
Primary irritation Effects	
Skin corrosion / Irritation	: Causes skin irritation
Serious Eye Damage / Irritation	: Causes serious eye irritation
Respiratory or skin sensitization	: May cause an allergic skin reaction
CMR effects (carcinogenetic, mutagenicity and	: This material has been classified as non- hazardous
toxicity for reproduction)	
Carcinogenicity	
Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Based on available data, the classification criteria are not met
STOT-single exposure	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Based on available data, the classification criteria are not met

12. ECOLOGICAL INFORMATION

Toxicity	
Aquatic Toxicity	: No further relevant information available
Persistence and degradability	: No further relevant information available
Bioaccumulative Potential	: No further relevant information available
Mobility in soil	: No further relevant information available
Additional Ecological Information	
General notes	: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for
	water Danger to drinking water if even small quantities leak into the ground
Results of PBT and vPvB assessment	
PBT	: Not applicable
vPvB	: Not applicable
Other Adverse Effects	: No further relevant information available

13. DISPOSAL CONSIDERATIONS

Water Treatment Method Recommendation	: Must not be disposed together with household garbage. Do not allow product to reach sewage system
Uncleaned Packaging Recommendation	: Disposal must be made according to official regulations. Packaging's that may not be cleansed are to be disposed of in the same manner as the product

14. TRANSPORT INFOR	MATION	
UN Number ADR,ADN, ADN, IMDG, IATA UN proper shipping name	: Not Hazardous	
AMI MSDS info@mud	jarram.com www.muqarram.com	Page 5 of 7
Head Office		AN ISO CERTIFIED COMPANY
 ♀ P.O. Box 24756, Sharjah, U.A.E. ↓ +971 6 535 3' info@muqarram.com ⊕ www.muqarram.com 		

P.O. Box 24756, Sharjah, U.A.E. 💊 +971 6 535 3796 🐱 info@muqarram.com 🕲 www.muqarram.com



الـــــمكــــرم لــــصـــناعة المــــواد الــــعازلة ذ.م.م Al Muqarram Insulation Material Industry L.L.C.

ADR,ADN, ADN, IMDG, IATA	: Not Hazardous
Transport Hazard Class	
ADR,ADN, ADN, IMDG, IATA Class	: Not Hazardous
De de cius anon	
Packaging group	
ADR,ADN, IMDG, IATA	: Not Hazardous
Environmental Hazard	
Marine Pollutant	: NO
Special precautions for User	: Not applicable
Transport in bulk according to Annex II of	
Marpol and the IBC Code	: Not applicable
Remarks	: Under certain conditions substances in Class 3 (flammable liquids) can be classified in
	packing group III
UN "Model Regulation"	: Void

15. REGULATORY INFORMATION

Hazard pictograms Signal word Warning	: GHS07
Hazard-determining components of labelling	: reaction product: bisphenol-A-(epichlorohydrin) epoxy resin (number average molecular weight < = 700)
Hazard Statements	
H315	: Causes skin irritation
H319	: Causes serious eye irritation
H317	: May cause an allergic skin reaction
H412	: Harmful to aquatic life with long lasting effects
Precautionary Statements	
P101	: If medical advice is needed, have product container or label at hand
P102	: Keep out of reach of children
P261	: Avoid breathing vapours
P280	: Wear protective gloves / eye protection
P305 + P351 + P338	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	: Dispose of contents/container in accordance with national regulations
Named dangerous substances	: None of the ingredients is listed

A chemical Safety Assessment has not been carried out

16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relev	ant F	Phrases							
H302					: H	armful if wallowed			
H315					: Ca	ause skin Irritation			
АМІ	I	MSDS	Ι	info@muqarram.com	I	www.muqarram.com		Page 6 c	of 7

Head Office

♀ P.O. Box 24756, Sharjah, U.A.E.
 ▶+971 6 535 3796
 ∞ info@muqarram.com
 ♥ www.muqarram.com







الـــــمكــــرم لــــصـــناعة المــــواد الــــعازلة ذ.م.م Al Muqarram Insulation Material Industry L.L.C.

H317	: May cause an allergic skin reaction
H319	: Causes serious eye irritation
H411	: Toxic to aquatic life with long lasting effects
Label Elements (DPD) Xi - irritant	
Abbreviations and acronyms	
Acute Tox. 4	: Acute toxicity, Hazard Category 4
Skin Irritation 2	: Skin corrosion/irritation, Hazard Category 2
Eye Irritation 2	: Serious eye damage/eye irritation. Hazard Category 2
Skin Sense. 1	: Sensitization - Skin, Hazard Category 1
Aquatic Chronic 2	: Hazardous to the aquatic environment - Chronic Hazard, Category 2
Aquatic Chronic 3	: Hazardous to the aquatic environment - Chronic Hazard, Category 3

AMI MSDS

www.muqarram.com